



# Harrington

## STORZ CONNECT



- Hydrant Storz Connections
- HPHA - Thread-On Storz
- HIHS - Integral Storz
- Sprinkler Storz Connections (FDC)
- H30E - 30° Elbow FDC Storz
- HSFR - Straight FDC Storz
- HFL - 150# Flange Storz
- Storz Connections
- Threaded Connections
- Hydrant Gate Valves
- Hydrant Ball Valves

2023  
Waterworks  
Catalog

**35 Years of  
Quality & Service**

**Fight the Fire, Not the Connections!**

800-553-0078 • 814-838-3957  
storzconnect.com • info@harrinc.com • harrinc.com

Safety First in LDH Systems

We cannot state too emphatically the need to follow certain guidelines in using large diameter hose and appliances. You should always consider the following points when using and training with large diameter hose.

- 1. All Harrington Storz “heads” are forged then hard coated to military specification: Type 3. This provides maximum strength and best corrosion resistance. We do not supply cast Storz heads which can easily fracture and cause catastrophic failure.
- 2. Do not allow untrained personnel to operate or use large diameter hose or appliances.
- 3. Always inspect all connections to insure tightness, thus reducing the possibility of accidental disconnection.
- 4. Always open and close valves slowly, to reduce the possibility of damage or injury due to water hammer.
- 5. Always secure adapters, valves and other appliances with proper vehicle mounting brackets to prevent them from falling off the vehicle.
- 6. Clean, lubricate and perform necessary maintenance on all moving parts periodically. This is especially important for intake valves left attached to the vehicle.
- 7. Always store valves in the closed position when not in use.
- 8. Test relief valves periodically, to be sure they are relieving properly.
- 9. Set relief valves at a pressure 10 psi higher than your normal working pressure.
- 10. When performing annual hose testing, be sure to use Storz test caps and adapters which are found on page 31 of this price sheet, to prevent gasket failure.
- 11. These guidelines/instructions may not answer or address all questions. If you have any questions or need additional information, call us at 1-800-553-0078.
- 12. We use “Lubriplate SFL-1” for the metal to metal surfaces. It is extremely effective. More so than anything else.




**DANGER**

**PERSONAL RESPONSIBILITY CODE**

The member companies of FEMSA that provide emergency response equipment and services want responders to know and understand the following:

1. Firefighting and Emergency Response are inherently dangerous activities requiring proper training in their hazards and the use of extreme caution at all times.
2. It is your responsibility to read and understand any user's instructions, including purpose and limitations, provided with any piece of equipment you may be called upon to use.
3. It is your responsibility to know that you have been properly trained in Firefighting and/or Emergency Response and in the use, precautions, and care of any equipment you may be called upon to use.
4. It is your responsibility to be in proper physical condition and to maintain the personal skill level required to operate any equipment you may be called upon to use.
5. It is your responsibility to know that your equipment is in operable condition and has been maintained in accordance with the manufacturer's instructions.
6. Failure to follow these guidelines may result in death, burns or other severe injury.



Fire and Emergency Manufacturers and Services Association, Inc.  
P.O. Box 147, Lynnfield, MA 01902 www.FEMSA.org  
Copyright 2006 FEMSA. All Rights Reserved

MAKE THE RIGHT CONNECTION!



**Harrington, Inc.**  
LDH System Specialists

2630 West 21st Street • Erie, PA 16506  
814.838.3957 • 800.553.0078 • Fax: 814.838.7339  
harrinc.com • info@harrinc.com • hydrantstorz.com

Table of Contents

<b>Standard Hydrant Valves</b>	<b>4</b>	<b>Storz Accessories</b>	<b>38</b>
HHGV - Hydrant Gate Valves	4	HSAS - Storz Adapter Screens	38
HHBV - Hydrant Ball Valves	4	HBC - Storz Blind Caps	38
<b>Storz Hydrant Adapters</b>	<b>5</b>	HTPB-US - 3 Lug Storz Couplings.	38
HPHA - Storz Permanent Hydrant Adapters with Cap	5	HVC - Harrington “V-Groove” Shank Couplings	39
<b>H30E - 30° Storz Elbow Adapters</b>	<b>9</b>	British Instantaneous Fittings	39
H30E - Storz x Female Swivel Rocker Lug	9	HMLC - MultiLug Coupling with three part binding	39
H30E - Storz x Female Swivel Long Handle	12	HMLA - MultiLug Adapters and Caps	39
H30E - Storz x Storz Swivel	13	Adapters MultiLug x BSP Female	39
<b>Storz Straight Adapters</b>	<b>13</b>	<b>HSSW - Spanner Wrenches</b>	<b>40</b>
HSFS - Storz x Female Swivel Rocker Lug	13	<b>Storz Seals and Thread Gaskets</b>	<b>42</b>
HSFS - Storz x Female Swivel Long Handle	15	<b>Threaded Adapters</b>	<b>43</b>
HSFR - Storz x Female Rigid	15	H35 - Female Swivel RL x Female Swivel RL	43
HSMR - Storz x Male Rigid	18	H36 - Double Male Rocker Lug Adapters	44
Flange Storz Adapters	21	H37 - Male x Female Rigid Rocker Lug Adapters	45
Flange NH Male Adapters	22	H53 - Female Swivel RL x Female Rigid	46
HSTS - Storz x Storz	22	H53L - Female Swivel LH x Female Rigid	47
HSFR - Storz x Female BSP	23	H54 - Male x Female Swivel Rocker Lug	48
<b>Standard Gate Valves</b>	<b>24</b>	H54L - Male x Female Swivel Long Handle	49
H800 - 4” Straight Gate Valves	24	H56L - NH Male x Female Rigid Long Handle	50
H810 - 25° Elbow 4” Gate Valves with PRV	25	H57L - Female Swivel LH x Female Swivel LH	51
H811 - 25° Elbow 4” Gate Valves	26	HTBC - Threaded Blind Caps	52
Super Flow 6” Gate Valves	27	HTP - Harrington Threaded Plugs	52
H860 - Super Flow Straight 6” Gate Valves	27	<b>Butterfly Valves</b>	<b>53</b>
H861 - 25° Elbow 6” Gate Valves	27		
<b>Distributor Ball Valves</b>	<b>28</b>		
H200 - Standard 2-Way Ball Valves (LDH Wye)	28		
H201 - Small 2-Way Ball Valves (Leader Line Wye)	29		
H202 -Mid Size 2-Way Ball Valves (Leader Line Wye)	30		
H300 - 3-Way Ball Valves (LDH Wye)	31		
H301 - Small 3-Way Ball Valves (Water Thief)	32		
H301 - 3-Way Manifolds	32		
H400 - 5-Way Manifolds	33		
H600 - Super Flow 2-Way Ball Valves	35		
<b>Siamese Valves</b>	<b>35</b>		
HJ20 - Jumbo Siamese - Double Clappered	35		
H220 - 2-Way Siamese	36		
H330 - 3-Way Siamese	37		
H440 - 4-Way Siamese	37		

Key

RL	Rocker Lug	NPT	National Pipe Thread
LH	Long Handle	QST	Quebec Standard Thread
NH	National Hose Thread	BI	British Instantaneous
NPSH	National Pipe Straight Hose Thread	PRV	Pressure Relief Valve

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



# Standard Hydrant Valves

## HHGV - Hydrant Gate Valves

Gate valve with a non rising stem is excellent for hydrant and other water control. There is a spinning knob on hand wheel for easy open/close, with a built in slow close safety operation. Lightweight anodized all metal corrosion resistance construction and a stainless steel spindle. 2.25” waterway. 250 PSI working pressure rating

**Dimensions: Extension: 6” Width: 5” Height: 9” Weight: 4.5 lbs**



Hydrant Gate Valve	HHGV	List
HHGV-25NHM-25NH	2.5” NH female swivel rocker lug inlet x 2.5” NH male outlet	\$591.00
HHGV-HD-25NHM-25NH	Heavy Duty 2.5” NH female swivel rocker lug inlet x 2.5” NH male outlet	\$756.00
HHGV-25-xxx-25-xxx	2.5” special thread female swivel inlet x 2.5” special thread male outlet	\$797.00
HHGV-25NHM-25NPSH	2.5” NPSH female swivel rocker lug inlet x 2.5” NH male outlet	\$591.00
HHGV-25NHM-25NPTF	2.5” NPT female rigid inlet x 2.5” NH male outlet	\$724.00
HHGV-25QSTM-25QST	2.5” QST female swivel rocker lug inlet x 2.5” QST male outlet	\$591.00
HHGV-25NPTM-25NPSHFS	2.5” NPSH female swivel rocker lug inlet x 2.5” NPT male outlet	\$712.00
HHGV-25NHFS-25NHFS	2.5” NH female swivel rocker lug inlet x 2.5” NH female swivel outlet	\$826.00
HHGV-25-25NH	2.5” NH female swivel rocker lug inlet x 2.5” Storz outlet	\$760.00
HHGV-25-25QST	2.5” QST female swivel rocker lug inlet x 2.5” Storz outlet	\$760.00

## HHBV - Hydrant Ball Valves

Quarter turn, 2” waterway, 2.5” ball valve for double dressing hydrants, tanker fill site, in line water flow control, or other portable uses. Lightweight durable ball valve, 2.5” NH FM swivel X 2.5” NH M, quarter turn, hard coated ball, full flow design, multiple portable uses for control of water flow.

**Dimensions: Extension: 5.5” Width: 4” Height: 7” Weight: 5 lbs**



Hydrant Ball Valve	HHBV	List
HHBV-25NHM-25NH	2.5” NH female swivel inlet x 2.5” NH male outlet	\$613.00
HHBV-25NHM-25NHLH	2.5” NH female long handle swivel inlet x 2.5” NH male outlet	\$633.00
HHBV-25NHM-25NPSH	2.5” NPSH female swivel inlet x 2.5” NH male outlet	\$613.00
HHBV-25NPTM-25NH	2.5” NH female swivel inlet x 2.5” NPT male outlet	\$689.00
HHBV-25NPTM-25NPSH	2.5” NPSH female swivel inlet x 2.5” NPT male outlet	\$689.00
HHBV-25-xxx-25-xxx	2.5” special thread female swivel inlet x 2.5” special thread male outlet	\$712.00
HHBV-25NHFS-25NHFS	2.5” NH female swivel inlet x 2.5” NH female swivel outlet	\$689.00
HHBV-25NHM-25NPTF	2.5” NPT female rigid inlet x 2.5” NH male outlet	\$595.00
HHBV-25-25NH	2.5” NH female swivel inlet x 2.5” Storz outlet	\$706.00
HHBV-25-25NPSH	2.5” NPSH female swivel inlet x 2.5” Storz outlet	\$706.00
HHBV-25-25QST	2.5” QST female swivel inlet x 2.5” Storz outlet	\$706.00
HHBV-25NHM-30NPTF	3” NPT female rigid inlet x 2.5” NH male outlet	\$675.00
HHBV-30NPTM-30NPSHFS	3” NPSH female swivel inlet x 3” NPT male outlet	\$845.00
HHBV-30-25NH	2.5” NH female swivel inlet x 3” Storz outlet	\$706.00
HHBV-30-25NPSH	2.5” NPSH female swivel inlet x 3” Storz outlet	\$706.00
HHBV-30-25QST	2.5” QST female swivel inlet x 3” Storz outlet	\$706.00

Note: Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed

HHBV-40-25NH	2.5” NH female swivel inlet x 4” Storz outlet	\$856.00
HHBV-40-25NHLH	2.5” NH female long handle swivel inlet x 4” Storz outlet	\$870.00
HHBV-40-25NHM	2.5” NH male outlet x 4” Storz lock inlet	\$772.00
HHBV-40-25QST	2.5” QST female swivel inlet x 4” Storz outlet	\$856.00
HHBV-40-30NHFS	3” NH female swivel inlet x 4” Storz outlet	\$880.00
HHBV-50-25NH	2.5” NH female swivel inlet x 5” Storz outlet	\$924.00
HHBV-50-25NHM	2.5” NH male outlet x 5” Storz lock inlet	\$858.00
HHBV-50-25QST	2.5” QST female swivel inlet x 5” Storz outlet	\$924.00



# Storz Hydrant Adapters

## HPHA - Storz Permanent Hydrant Adapters with Cap

Hydrant Storz adapters, with metal face, permanently changes main hydrant outlet from threads to quick quarter turn Storz. Includes hard anodized adapter, metal face and cap with **reflective** stainless aircraft cable to aid in locating hydrants and stainless steel set screw to prevent unscrewing from the hydrant. Specify the hydrant thread size and Storz size.

Hydrant Storz Program	HPHA / HIHS	List
HPHA40-40NH/Cap	Metal Face Storz Adapter 4” Storz x 4” NH Female with Storz Cap/cable Dark Anodized	\$480.00
HPHA40-40xxx/Cap	Metal Face Storz Adapter 4” Storz x 4” special thread Female with Storz Cap/cable Dark Anodized	\$518.00
HPHA40-45NH/Cap	Metal Face Storz Adapter 4” Storz x 4.5” NH Female with Storz Cap/cable Dark Anodized.	\$475.00
HPHA40-45xxx/Cap	Metal Face Storz Adapter 4” Storz x 4.5” special thread Female with Storz Cap/cable Dark Anodized	\$580.00
HPHA40-50NH/Cap	Metal Face Storz Adapter 4” Storz x 5” NH Female with Storz Cap/cable Dark Anodized	\$720.00
HPHA40-50-xxx /Cap	Metal Face Storz Adapter 4” Storz x 5” Special thread Female with Storz Cap/cable Dark Anodized	\$760.00
HPHA50-40NH/Cap	Metal Face Storz Adapter 5” Storz x 4” NH Female with Storz Cap/cable Dark Anodized	\$610.00
HPHA50-40xxx/Cap	Metal Face Storz Adapter 5” Storz x 4” special thread Female with Storz Cap/cable Dark Anodized	\$650.00
HPHA50-45NH/Cap	Metal Face Storz Adapter 5” Storz x 4.5” NH Female with Storz Cap/cable Dark Anodized.	\$600.00
HPHA50-45xxx/Cap	Metal Face Storz Adapter 5” Storz x 4.5” special thread Female with Storz Cap/cable Dark Anodized	\$650.00
HPHA50-50NH/Cap	Metal Face Storz Adapter 5” Storz x 5” NH Female with Storz Cap/cable Dark Anodized	\$725.00
HPHA50-50xxx/Cap	Metal Face Storz Adapter 5” Storz x 5” special thread Female with Storz Cap/cable Dark Anodized	\$980.00
Cable-RKIT	stainless steel cable for caps, reflective, 20” long with crimping connectors	\$10.00



HIHS Integral Storz


HIHS Integral Storz	Metal Face Storz Nozzle for Integral conversion - Hydrant specific	
HIHS-AMLOK-40-45	4" Storz Integral Hydrant Nozzle: 4 x Amlok nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-AMLOK-50-45	5" Storz Integral Hydrant Nozzle: 5 x Amlok nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-CLOW-40-45	4" Storz Integral Hydrant Nozzle: 4 x Clow nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-CLOW-50-45	5" Storz Integral Hydrant Nozzle: 5 x Clow nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-EJIW-40-375	4" Storz Integral Hydrant Nozzle: 4 x East Jordan 3.75" nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-EJIW-40-45	4" Storz Integral Hydrant Nozzle: 4 x East Jordan 4.5" nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-EJIW-50-375	5" Storz Integral Hydrant Nozzle: 5 x East Jordan 3.75" nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-EJIW-50-45	5" Storz Integral Hydrant Nozzle: 5 x East Jordan 4.5" nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-KEN-40-45	4" Storz Integral Hydrant Nozzle: 4 x Kennedy nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-KEN-50-45	5" Storz Integral Hydrant Nozzle: 5 x Kennedy nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-M&H-40-45	4" Storz Integral Hydrant Nozzle: 4 x M & H nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-M&H-50-45	5" Storz Integral Hydrant Nozzle: 5 x M & H nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-MLR-40-45	4" Storz Integral Hydrant Nozzle: 4 x Mueller nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-MLR-50-45	5" Storz Integral Hydrant Nozzle: 5 x Mueller nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
HIHS-WAT-40-45	4" Storz Integral Hydrant Nozzle: 4 x Waterous nozzle with Storz cap & reflective stainless steel aircraft cable	\$850.00
HIHS-WAT-50-45	5" Storz Integral Hydrant Nozzle: 5 x Waterous nozzle with Storz cap & reflective stainless steel aircraft cable	\$960.00
Cable-RKIT	stainless steel cable for caps, reflective, 20" long with crimping connectors	\$10.00
HHSW-100	4"-5" Universal Hydrant Spanner	\$149.00




Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Harrington  
 STORZ CONNECT



HPHA™ Harrington Permanent Hydrant Adapter™  
 Storz Metal Face ADAPTER with Cap/Cable for existing Hydrants



HPHA™ Dimensions

Nominal Dimensions (in inches)

Storz Adapter	A	B	C	E	L1	L2
4" Storz x 4" F	6.14	4.53	3.54	2.65	1.99	1.15
4" Storz x 4.5 F	6.61	4.53	3.54	2.65	2.04	1.13
5" Storz x 4" F	7.71	5.84	4.00	2.75	2.07	1.18
5" Storz x 4.5 F	7.71	5.84	4.54	2.75	2.04	1.18

Nominal Dimensions (in inches)

Storz Cap	A	B	L1
4" Storz	6.14	4.53	1.44
5" Storz	7.71	5.84	3.63

HPHA™ only requires the removal of the threaded cap for installation



HPHA™ THREAD-ON: Harrington Permanent Hydrant Adapter™


For retro-fitting existing hydrant threads, this adapter is threaded onto the steamer nozzle and secured permanently with set screws. The cap will not come off at the hands of vandals. Wrench required.



HPHA™ only requires the removal of the threaded cap for installation



HPHA™  
 with Cap



HPHA™ Storz Permanent Hydrant Adapters with Cap

- NEW Reflective Cable to help find hydrants
- Standardize your Connections
- No Adapters
- Quick Quarter Turn
- Connect LDH Direct to Hydrant
- Reduce Connection Time
- Vandal Resistant
- Converts in Minutes
- Stainless Steel Set Screws
- Permanently affixed
- Completely Anodized to Military Specifications
- Thousands in Service
- Proudly Made in the USA**

MAKE THE RIGHT CONNECTION!  
 Harrington, Inc.




2630 West 21st Street, Erie, PA 16506 · 800.553.0078 · harrinc.com · info@harrinc.com · hydrantstorz.com




Harrington, Inc. Your Sprinkler Storz Headquarters

A.




A. H30E-50-40NPT/Cap  
-30° Elbow, NPT FEMALE x STORZ  
threads onto male pipe thread

B.




B. H30E-50-40NPTM/Cap  
-30° Elbow, NPT MALE x STORZ  
threads into female pipe thread

C.



C. H3FR50-40NPT/Cap  
-Straight, NPT FEMALE x STORZ  
threads onto male pipe thread

D.



D. H3MR50-40NPT/Cap  
-Straight, NPT MALE x STORZ  
threads into female pipe thread



Harrington

STORZ CONNECT

2630 West 21st Street, Erie, PA 16506 • 800.553.0078  
info@harrinc.com • hydrantstorz.com

H30E - 30° Elbow Adapters

Short 30° elbow which includes a field adjustable pressure relief valve (75-250 PSI) and air bleeder. Hard coat anodizing to Military Specification, Type 3. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic. Powder coated for corrosion resistance and protection

Small Threaded Elbows	H30E	List
H30E-15NHM-15NH	Elbow 30° 1.5" NH female swivel rocker lug x 1.5" NH male	\$269.00
H30E-25NHM-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" NH male	\$154.00
H30E-25NHFS-25NHFS	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" NH female swivel	\$258.00
H30E-25NHM-30NH	Elbow 30° 3" NH female swivel rocker lug x 2.5" NH male	\$347.00
H30E-25NHM-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 2.5" NH male	\$347.00
H30E-30NHM-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 3" NH male	\$241.00
H30E-30NHM-30NH	Elbow 30° 3" NH female swivel rocker lug x 3" NH male	\$363.00
H30E-30NHFS-30NHFS	Elbow 30° 3" NH female swivel rocker lug x 3" NH female swivel	\$487.00
H30E-35NHM-35NH	Elbow 30° 3.5" NH female swivel rocker lug x 3.5" NH male	\$432.00



H30E - 30° Storz x Female Swivel Rocker Lug

Short 30° elbow adapter; hard anodized and powder coated for corrosion resistance and protection






Elbow 30° - Storz x Female RL	H30E-RL	List
H30E-25-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" Storz	\$193.00
H30E-25-25NPSH	Elbow 30° 2.5" NPSH female swivel rocker lug x 2.5" Storz	\$193.00
H30E-25-25NHM	Elbow 30° 2.5" NH Male x 2.5" Storz	\$193.00
H30E-25-25QST	Elbow 30° 2.5" QST female x 2.5" Storz	\$193.00
H30E-25-30NH	Elbow 30° 3" NH female swivel rocker lug x 2.5" Storz	\$287.00
H30E-25-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 2.5" Storz	\$287.00
H30E-30-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 3" Storz	\$183.00
H30E-30-25NPSH	Elbow 30° 2.5" NPSH female swivel rocker lug x 3" Storz	\$183.00
H30E-30-25QST	Elbow 30° 2.5" QST female swivel rocker lug x 3" Storz	\$183.00
H30E-30-30NH	Elbow 30° 3" NH female swivel rocker lug x 3" Storz	\$316.00
H30E-30-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 3" Storz	\$316.00
H30E-40-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 4" Storz with lock	\$412.00
H30E-40-25NHM	Elbow 30° 2.5" NH Male x 4" Storz with lock	\$442.00
H30E-40-25NPSH	Elbow 30° 2.5" NPSH Female x 4" Storz with lock	\$412.00
H30E-40-25QST	Elbow 30° 2.5" QST Female x 4" Storz with lock	\$412.00
H30E-40-30NH	Elbow 30° 3" NH female swivel rocker lug x 4" Storz with lock	\$562.00
H30E-40-30NPT	Elbow 30° 3" NPT female swivel rocker lug x 4" Storz with lock	\$440.00
H30E-40-30NHM	Elbow 30° 3" NH male x 4" Storz with lock	\$448.00
H30E-40-35NH	Elbow 30° 3.5" NH female swivel rocker lug x 4" Storz with lock	\$533.00
H30E-40-40NH	Elbow 30° 4" NH female swivel rocker lug x 4" Storz with lock	\$500.00
H30E-40-40NH/Cap	Elbow 30 degree 4" NH female swivel rocker lug X 4" Storz with lock with 4" Storz cap	\$646.00
H30E-40-40NPSH	Elbow 30° 4" NPSH female swivel rocker lug x 4" Storz with lock	\$500.00



Note: Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed



Pipe Threaded (NPT) Storz with Storz Cap

F.D.C. Quick Connections	Description	Sand Pipe	Wall Mount
	30° Elbow, NPT Female Rigid x Storz: Threads onto NPT Male Pipe Thread	✓	✓
	30° Elbow, NPSH Female Swivel x Storz: Threads onto NPT Male Pipe Thread	✓	✓
	30° Elbow, NPT Male Rigid x Storz: Threads into NPT Female Pipe Thread	✓	✓
	Straight, NPT Female Rigid x Storz: Threads onto NPT Male Pipe Thread	✓	✓
	Straight, NPT Male x Storz: Threads into NPT Female Pipe Thread	✓	✓

**“FIGHT THE FIRE, NOT THE CONNECTIONS.”** Harrington manufactures “F.D.C.” Storz Connections for any pipe threaded specification in the U.S. Replace your 2½” Siamese Connections and convert to one big Storz QUICK CONNECT. Two 2½” hoses don’t come close to the flow that your 4” or 5” hose can provide, plus your Storz connections are much faster.

Improve your CONNECTION TIME and your FLOW RATE with Harrington’s “Quick-Connect” Storz. **MAKE THE RIGHT CONNECTION...SPECIFY “HARRINGTON STORZ ONLY.”**



Harrington, Inc.

2630 West 21st Street, Erie, PA 16506 • 800.553.0078 • info@harrinc.com • hydrantstorz.com

MAKE ALL YOUR CONNECTIONS BIG & FAST:

Harrington has a complete line of Hydrant and Sprinkler Storz, unmatched by anyone, anywhere.

H30E-40-40NPSH/Cap	Elbow 30° 4” NPSH female swivel rocker lug x 4” Storz with lock with 4” Storz Cap/cable	\$646.00
H30E-40-40NPT	Elbow 30° 4” NPT female rigid x 4” Storz with lock	\$354.00
H30E-40-40NPT/Cap	Elbow 30° 4” NPT female rigid x 4” Storz with lock with 4” Storz Cap/cable	\$500.00
H30E-40-40NPTM	Elbow 30° 4” NPT male rigid x 4” Storz with lock	\$475.00
H30E-40-40NPTM/Cap	Elbow 30° 4” NPT male rigid x 4” Storz with lock with 4” Storz Cap/cable	\$621.00
H30E-40-45NH	Elbow 30° 4.5” NH female swivel rocker lug x 4” Storz with lock	\$503.00
H30E-40-50NH	Elbow 30° 5” NH female swivel rocker lug x 4” Storz with lock	\$669.00
H30E-40-60NH	Elbow 30° 6” NH female swivel rocker lug x 4” Storz with lock	\$677.00
H30E-40-60NPSH	Elbow 30° 6” NPSH female swivel rocker lug x 4” Storz with lock	\$677.00
H30E-40-60NPTF	Elbow 30° 6” NPT female rigid x 4” Storz with lock	\$552.00
H30E-40-60NPT/Cap	Elbow 30° 6” NPT female rigid x 4” Storz with lock with 4” Storz Cap/cable	\$698.00
H30E-40-60NPTM	Elbow 30° 6” NPT male rigid x 4” Storz with lock	\$535.00
H30E-40-60NPTM/Cap	Elbow 30° 6” NPT male rigid x 4” Storz with lock with 4” Storz Cap/cable	\$681.00
H30E-45-60NH (Storz 110)	Elbow 30° 6” NH female swivle rocker lug x 4.5”(110) Storz with lock	\$659.00
H30E-50-25NH	Elbow 30° 2.5” NH female swivel rocker lug x 5” Storz with lock	\$495.00
H30E-50-25NH/FTS	Elbow 30° 2.5” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$768.00
H30E-50-25NHM	Elbow 30° 2.5” NH male x 5” Storz with lock	\$577.00
H30E-50-30NH	Elbow 30° 3” NH female swivel rocker lug x 5” Storz with lock	\$562.00
H30E-50-30NHM	Elbow 30° 3” NH male rocker lug x 5” Storz with lock	\$573.00
H30E-50-30NH/FTS	Elbow 30° 3” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$835.00
H30E-50-35NH	Elbow 30° 3.5” NH female swivel rocker lug x 5” Storz with lock	\$648.00
H30E-50-35NH/FTS	Elbow 30° 3.5” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$916.00
H30E-50-40NH	Elbow 30° 4” NH female swivel rocker lug x 5” Storz with lock	\$567.00
H30E-50-40NH/Cap	Elbow 30° 4” NH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$736.00
H30E-50-40NH/FTS	Elbow 30° 4” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$840.00
H30E-50-40NPSH	Elbow 30° 4” NPSH female swivel rocker lug x 5” Storz with lock	\$567.00
H30E-50-40NPSH/Cap	Elbow 30° 4” NPSH female full time swivel rocker lug x 5” Storz with lock	\$736.00
H30E-50-40NPSH/FTS	Elbow 30° 4” NPSH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$840.00
H30E-50-40NPT	Elbow 30° 4” NPT female rigid x 5” Storz with lock	\$420.00
H30E-50-40NPT/Cap	Elbow 30° 4” NPT female rigid x 5” Storz with lock with 5” Storz Cap/cable	\$589.00
H30E-50-40NPTM	Elbow 30° 4” NPT male rigid x 5” Storz with lock	\$455.00
H30E-50-40NPTM/Cap	Elbow 30° 4” NPT male rigid x 5” Storz with lock with 5” Storz Cap/cable	\$624.00
H30E-50-45NH	Elbow 30° 4.5” NH female swivel rocker lug x 5” Storz with lock	\$581.00
H30E-50-45NH/Cap	Elbow 30° 4.5” NH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$750.00
H30E-50-45NH/FTS	Elbow 30° 4.5” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$854.00
H30E-50-50NH	Elbow 30° 5” NH female swivel rocker lug x 5” Storz with lock	\$607.00
H30E-50-50NH/Cap	Elbow 30° 5” NH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$776.00
H30E-50NHM-50NH	Elbow 30° 5” NH female swivel rocker lug x 5” NH male	\$534.00
H30E-50-50NH/FTS	Elbow 30° 5” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$880.00
H30E-50-50NPSH	Elbow 30° 5” NPSH female swivel rocker lug x 5” Storz with lock	\$607.00
H30E-50-50NPSH/CAP	Elbow 30° 5” NPSH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$776.00
H30E-50-50NPT	Elbow 30° 5” NPT female rigid x 5” Storz with lock	\$803.00

Note: Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed







H30E-50-50NPT/CAP	Elbow 30° 5” NPT female rigid x 5” Storz with lock with 5” Storz Cap/cable	\$972.00
H30E-50-60NH	Elbow 30° 6” NH female swivel rocker lug x 5” Storz with lock	\$617.00
H30E-50-60NH/CAP	Elbow 30° 6” NH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$786.00
H30E-50-60NH/FTS	Elbow 30° 6” NH female swivel rocker lug x 5” Storz with lock full time swivel	\$889.00
H30E-50-60NPSH	Elbow 30° 6” NPSH female swivel rocker lug x 5” Storz with lock	\$617.00
H30E-50-60NPSH/Cap	Elbow 30° 6” NPSH female swivel rocker lug x 5” Storz with lock with 5” Storz Cap/cable	\$786.00
H30E-50-60NPT	Elbow 30° 6” NPT female rigid x 5” Storz with lock	\$491.00
H30E-50-60NPT/Cap	Elbow 30° 6” NPT female rigid x 5” Storz with lock with 5” Storz Cap/cable	\$660.00
H30E-50-60NPTM	Elbow 30° 6” NPT male rigid x 5” Storz with lock	\$478.00
H30E-50-60NPTM/Cap	Elbow 30° 6” NPT male rigid x 5” Storz with lock with 5” Storz Cap/cable	\$647.00
H30E-60-40NH	Elbow 30° 4” NH female swivel rocker lug x 6” Storz with lock	\$743.00
H30E-60-40NPSH	Elbow 30° 4” NPSH female rigid x 6” Storz with lock	\$743.00
H30E-60-40NPSH/CAP	Elbow 30° 4” NPSH female rigid x 6” Storz with lock with 6” Storz Cap/cable	\$1,015.00
H30E-60-40NPT	Elbow 30° 4” NPT female rigid x 6” Storz with lock	\$659.00
H30E-60-40NPT/CAP	Elbow 30° 4” NPT female rigid x 6” Storz with lock with 6” Storz Cap/cable	\$931.00
H30E-60-40NPTM	Elbow 30° 4” NPT male rigid x 6” Storz with lock	\$656.00
H30E-60-40NPTM/CAP	Elbow 30° 4” NPT male rigid x 6” Storz with lock with 6” Storz Cap/cable	\$928.00
H30E-60-45NH	Elbow 30° 4.5” NH female swivel rocker lug x 6” Storz with lock	\$765.00
H30E-60-50NH	Elbow 30° 5” NH female swivel rocker lug x 6” Storz with lock	\$762.00
H30E-60-60NH	Elbow 30° 6” NH female swivel rocker lug x 6” Storz with lock	\$802.00
H30E-60-60NPSH	Elbow 30° 6” NPSH female swivel rocker lug x 6” Storz with lock	\$802.00
H30E-60-60NPSH/CAP	Elbow 30° 6” NPSH female swivel rocker lug x 6” Storz with lock with 6” Storz Cap/cable	\$1,074.00
H30E-60-60NPTF	Elbow 30° 6” NPT female rigid x 6” Storz with lock	\$613.00
H30E-60-60NPTF/Cap	Elbow 30° 6” NPT female rigid x 6” Storz with lock with 6” Storz Cap/cable	\$885.00
H30E-60-60NPTM	Elbow 30° 6” NPT male rigid x 6” Storz with lock	\$613.00
H30E-60-60NPTM/Cap	Elbow 30° 6” NPT male rigid x 6” Storz with lock with 6” Storz Cap/cable	\$885.00
H30E-60NHM-60NH	Elbow 30° 6” NH female swivel rocker lug x 6” NH male	\$720.00

H30E - Storz x Female Swivel Long Handle

Short 30° elbow adapter; hard anodized and powder coated for corrosion resistance and protection

Elbow 30° - Storz x Female LH	H30E-LH	List
H30E-25-25NHLH	Elbow 30° 2.5” NH female swivel long handle x 2.5” Storz with lock	\$212.00
H30E-25-30NHLH	Elbow 30° 3” NH female swivel long handle x 2.5” Storz with lock	\$392.00
H30E-30-25NHLH	Elbow 30° 2.5” NH female swivel long handle x 3” Storz with lock	\$209.00
H30E-30-30NHLH	Elbow 30° 3” NH female swivel long handle x 3” Storz with lock	\$360.00
H30E-40-25NHLH	Elbow 30° 2.5” NH female swivel long handle x 4” Storz with lock	\$438.00
H30E-40-25NPSHLH	Elbow 30° 2.5” NPSH female swivel long handle x 4” Storz with lock	\$438.00
H30E-40-30NHLH	Elbow 30° 3” NH female swivel long handle x 4” Storz with lock	\$586.00
H30E-40-35NHLH	Elbow 30° 3.5” NH female swivel long handle x 4” Storz with lock	\$533.00
H30E-40-40NHLH	Elbow 30° 4” NH female swivel long handle x 4” Storz with lock	\$514.00
H30E-40-45NHLH	Elbow 30° 4.5” NH female swivel long handle x 4” Storz with lock	\$519.00
H30E-40-50NHLH	Elbow 30° 5” NH female swivel long handle x 4” Storz with lock	\$669.00
H30E-40-60NHLH	Elbow 30° 6” NH female swivel long handle x 4” Storz with lock	\$672.00
H30E-50-25NHLH	Elbow 30° 2.5” NH female swivel long handle x 5” Storz with lock	\$521.00
H30E-50-25NHLH/FTS	Elbow 30° 2.5” NH female swivel long handle x 5” Storz with lock full time swivel	\$794.00
H30E-50-30NHLH	Elbow 30° 3” NH female swivel long handle x 5” Storz with lock	\$586.00

H30E-50-30NHLH/FTS	Elbow 30° 3” NH female swivel long handle x 5” Storz with lock full time swivel	\$859.00
H30E-50-35NHLH	Elbow 30° 3.5” NH female swivel long handle x 5” Storz with lock	\$636.00
H30E-50-35NHLH/FTS	Elbow 30° 3.5” NH female swivel long handle x 5” Storz with lock full time swivel	\$909.00
H30E-50-40NHLH	Elbow 30° 4” NH female swivel long handle x 5” Storz with lock	\$581.00
H30E-50-40NHLH/FTS	Elbow 30° 4” NH female swivel long handle x 5” Storz with lock full time swivel	\$854.00
H30E-50-45NHLH	Elbow 30° 4.5” NH female swivel long handle x 5” Storz with lock	\$597.00
H30E-50-45NHLH/FTS	Elbow 30° 4.5” NH female swivel long handle x 5” Storz with lock full time swivel	\$869.00
H30E-50-50NHLH	Elbow 30° 5” NH female swivel long handle x 5” Storz with lock	\$607.00
H30E-50-50NHLH/FTS	Elbow 30° 5” NH female swivel long handle x 5” Storz with lock full time swivel	\$880.00
H30E-50-60NHLH	Elbow 30° 6” NH female swivel long handle x 5” Storz with lock	\$617.00
H30E-50-60NHLH/FTS	Elbow 30° 6” NH female swivel long handle x 5” Storz with lock full time swivel	\$889.00
H30E-60-40NHLH	Elbow 30° 4” NH female swivel long handle x 6” Storz with lock	\$761.00
H30E-60-45NHLH	Elbow 30° 4.5” NH female swivel long handle x 6” Storz with lock	\$775.00
H30E-60-50NHLH	Elbow 30° 5” NH female swivel long handle x 6” Storz with lock	\$771.00
H30E-60-60NHLH	Elbow 30° 6” NH female swivel long handle x 6” Storz with lock	\$802.00
H30E-60NHM-60NHLH	Elbow 30° 6” NH female swivel long handle x 6” NH male	\$720.00

H30E - Storz x Storz Swivel

Elbow 30° - Storz x Storz	H30E -Storz to Storz	List
H30E-40-40ST	Elbow 30° 4” Storz swivel with lock x 4” Storz rigid with lock	\$797.00
H30E-50-50ST	Elbow 30° 5” Storz swivel with lock x 5” Storz rigid with lock	\$816.00

Storz Straight Adapters

Harrington Inc., “Forged” Storz heads provide maximum strength. Harrington Storz are rated for a working pressure of 250 PSI. No hidden imperfections like those found in cast couplings. Hard coat anodizing to Military Specification, Type 3. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic. Available 2” to 6”. All Storz couplings 4” and larger includes **All Metal NFPA compliant lock**.

HSFS - Storz x Female Swivel Rocker Lug

Storz x Female Swivel RL Adapters	HSFS-RL	List
HSFS15-15NH	Storz adapter 1.5” (38) x 1.5” NH female swivel rocker lug	\$122.00
HSFS15-25NH	Storz adapter 1.5” (38) x 2.5” NH female swivel rocker lug	\$139.00
HSFS20-15NH	Storz adapter 2” (52) x 1.5” NH female swivel rocker lug	\$113.00
HSFS25-15NH	Storz adapter 2.5” (65) x 1.5” NH female swivel rocker lug	\$161.00
HSFS25-15NPSH	Storz adapter 2.5” (65) x 1.5” NPSH female swivel rocker lug	\$161.00
HSFS25-25NH	Storz adapter 2.5” (65) x 2.5” NH female swivel rocker lug	\$163.00
HSFS25-25NPSH	Storz adapter 2.5” (65) x 2.5” NPSH female swivel rocker lug	\$163.00
HSFS25-25QST	Storz adapter 2.5” (65) x 2.5” QST female swivel rocker lug	\$163.00
HSFS25-30NH	Storz adapter 2.5” (65) x 3” NH female swivel rocker lug	\$233.00
HSFS25-30NPSH	Storz adapter 2.5” (65) x 3” NNPH female swivel rocker lug	\$233.00
HSFS30-25NH	Storz adapter 3” (75) x 2.5” NH female swivel rocker lug	\$157.00
HSFS30-25NPSH	Storz adapter 3” (75) x 2.5” NPSH female swivel rocker lug	\$157.00
HSFS30-30NH	Storz adapter 3” (75) x 3” NH female swivel rocker lug	\$196.00

**Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.**

**NOTE:** Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed





HSFS30-30NPSH	Storz adapter 3" (75) x 3" NPSH female swivel rocker lug	\$196.00
HSFS40-25NH	Storz adapter 4" (100) with lock x 2.5" NH female swivel rocker lug anodized	\$324.00
HSFS40-25QST	Storz adapter 4" (100) with lock x 2.5" QST female swivel rocker lug anodized	\$324.00
HSFS40-30NH	Storz adapter 4" (100) with lock x 3" NH female swivel rocker lug anodized	\$387.00
HSFS40-30NPSH	Storz adapter 4" (100) with lock x 3" NPSH female swivel rocker lug anodized	\$387.00
HSFS40-35NH	Storz adapter 4" (100) with lock x 3.5" NH female swivel rocker lug anodized	\$357.00
HSFS40-35NPSH	Storz adapter 4" (100) with lock x 3.5" NPSH female swivel rocker lug anodized	\$357.00
HSFS40-40NH	Storz adapter 4" (100) with lock x 4" NH female swivel rocker lug anodized	\$439.00
HSFS40-40NPSH	Storz adapter 4" (100) with lock x 4" NPSH female swivel rocker lug anodized	\$439.00
HSFS40-45NH	Storz adapter 4" (100) with lock x 4.5" NH female swivel rocker lug anodized	\$431.00
HSFS40-45NPSH	Storz adapter 4" (100) with lock x 4.5" NPSH female swivel rocker lug anodized	\$431.00
HSFS40-50NH	Storz adapter 4" (100) with lock x 5" NH female swivel rocker lug anodized	\$492.00
HSFS40-50NPSH	Storz adapter 4" (100) with lock x 5" NPSH female swivel rocker lug anodized	\$492.00
HSFS40-60NH	Storz adapter 4" (100) with lock x 6" NH female swivel rocker lug anodized	\$574.00
HSFS40-60NPSH	Storz adapter 4" (100) with lock x 6" NPSH female swivel rocker lug anodized	\$574.00
HSFS50-25NH	Storz adapter 5" (125) with lock x 2.5" NH female swivel rocker lug anodized	\$396.00
HSFS50-25NH/FTS	Storz adapter 5" (125) with lock full time swivel x 2.5" NH female swivel rocker lug anodized	\$669.00
HSFS50-25NPSH	Storz adapter 5" (125) with lock x 2.5" NPSH female swivel rocker lug anodized	\$396.00
HSFS50-25QST	Storz adapter 5" (125) with lock x 2.5" QST female swivel rocker lug anodized	\$396.00
HSFS50-30NH	Storz adapter 5" (125) with lock x 3" NH female swivel rocker lug anodized	\$441.00
HSFS50-30NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3" NH female swivel rocker lug anodized	\$714.00
HSFS50-30NPSH	Storz adapter 5" (125) with lock x 3" NPSH female swivel rocker lug anodized	\$441.00
HSFS50-35NH	Storz adapter 5" (125) with lock x 3.5" NH female swivel rocker lug anodized	\$425.00
HSFS50-35NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3.5" NH female swivel rocker lug anodized	\$692.00
HSFS50-35NPSH	Storz adapter 5" (125) with lock x 3.5" NPSH female swivel rocker lug anodized	\$425.00
HSFS50-40NH	Storz adapter 5" (125) with lock x 4" NH female swivel rocker lug anodized	\$489.00
HSFS50-40NPSH	Storz adapter 5" (125) with lock x 4" NPSH female swivel rocker lug anodized	\$489.00
HSFS50-45NH	Storz adapter 5" (125) with lock x 4.5" NH female swivel rocker lug anodized	\$454.00
HSFS50-45NPSH	Storz adapter 5" (125) with lock x 4.5" NPSH female swivel rocker lug anodized	\$454.00
HSFS50-50NH	Storz adapter 5" (125) with lock x 5" NH female swivel rocker lug anodized	\$520.00
HSFS50-50NPSH	Storz adapter 5" (125) with lock x 5" NPSH female swivel rocker lug anodized	\$520.00
HSFS50-60NH	Storz adapter 5" (125) with lock x 6" NH female swivel rocker lug anodized	\$632.00
HSFS50-60NPSH	Storz adapter 5" (125) with lock x 6" NPSH female swivel rocker lug anodized	\$632.00
HSFS60-40NH	Storz adapter 6" (150) with lock x 4" NH female swivel rocker lug anodized	\$630.00
HSFS60-40NPSH	Storz adapter 6" (150) with lock x 4" NPSH female swivel rocker lug anodized	\$630.00
HSFS60-45NH	Storz adapter 6" (150) with lock x 4.5" NH female swivel rocker lug anodized	\$583.00
HSFS60-45NPSH	Storz adapter 6" (150) with lock x 4.5" NPSH female swivel rocker lug anodized	\$583.00
HSFS60-50NH	Storz adapter 6" (150) with lock x 5" NH female swivel rocker lug anodized	\$684.00
HSFS60-50NPSH	Storz adapter 6" (150) with lock x 5" NPSH female swivel rocker lug anodized	\$684.00
HSFS60-60NH	Storz adapter 6" (150) with lock x 6" NH female swivel rocker lug anodized	\$675.00
HSFS60-60NPSH	Storz adapter 6" (150) with lock x 6" NPSH female swivel rocker lug anodized	\$675.00

**NOTE:** Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed

Harrington, Inc. · 2630 West 21st Street · Erie, PA · USA 16506-2908 · 800.553.0078 · 814-838-3957  
www.harrinc.com · info@harrinc.com · www.storzconnect.com

HSFS - Storz x Female Swivel Long Handle

Storz x Female Swivel LH Adapters	HSFS-LH	List
HSFS25-25NHLH	Storz adapter 2.5" (65) x 2.5" NH female swivel long handle	\$189.00
HSFS25-30NHLH	Storz adapter 2.5" (65) x 3" NH female swivel long handle	\$259.00
HSFS30-25NHLH	Storz adapter 3" (75) x 2.5" NH female swivel long handle	\$183.00
HSFS30-30NHLH	Storz adapter 3" (75) x 3" NH female swivel long handle	\$260.00
HSFS40-25NHLH	Storz adapter 4" (100) with lock x 2.5" NH female swivel long handle anodized	\$351.00
HSFS40-30NHLH	Storz adapter 4" (100) with lock x 3" NH female swivel long handle anodized	\$410.00
HSFS40-35NHLH	Storz adapter 4" (100) with lock x 3.5" NH female swivel long handle anodized	\$374.00
HSFS40-40NHLH	Storz adapter 4" (100) with lock x 4" NH female swivel long handle anodized	\$455.00
HSFS40-45NHLH	Storz adapter 4" (100) with lock x 4.5" NH female swivel long handle anodized	\$447.00
HSFS40-50NHLH	Storz adapter 4" (100) with lock x 5" NH female swivel long handle anodized	\$492.00
HSFS40-60NHLH	Storz adapter 4" (100) with lock x 6" NH female swivel long handle anodized	\$574.00
HSFS50-25NHLH	Storz adapter 5" (125) with lock x 2.5" NH female swivel long handle anodized	\$422.00
HSFS50-30NHLH	Storz adapter 5" (125) with lock x 3" NH female swivel long handle anodized	\$465.00
HSFS50-35NHLH	Storz adapter 5" (125) with lock x 3.5" NH female swivel long handle anodized	\$443.00
HSFS50-40NHLH	Storz adapter 5" (125) with lock x 4" NH female swivel long handle	\$504.00
HSFS50-45NHLH	Storz adapter 5" (125) with lock x 4.5" NH female swivel long handle anodized	\$469.00
HSFS50-50NHLH	Storz adapter 5" (125) with lock x 5" NH female swivel long handle anodized	\$520.00
HSFS50-60NHLH	Storz adapter 5" (125) with lock x 6" NH female swivel long handle anodized	\$632.00
HSFS60-40NHLH	Storz adapter 6" (150) with lock x 4" NH female swivel long handle anodized	\$644.00
HSFS60-45NHLH	Storz adapter 6" (150) with lock x 4.5" NH female swivel long handle anodized	\$599.00
HSFS60-50NHLH	Storz adapter 6" (150) with lock x 5" NH female swivel long handle anodized	\$684.00
HSFS60-60NHLH	Storz adapter 6" (150) with lock x 6" NH female swivel long handle anodized	\$675.00



HSFR - Storz x Female Rigid

Storz x Female Rigid Adapters	HSFR	List
HSFR10-10NH	Storz adapter 1" (25) x 1" NH female rigid	\$88.00
HSFR10-10NPSH	Storz adapter 1" (25) x 1" NPSH female rigid	\$88.00
HSFR10-10NPT	Storz adapter 1" (25) x 1" NPT female rigid	\$111.00
HSFR15-10NH	Storz adapter 1.5" (38) x 1" NH female rigid	\$93.00
HSFR15-10NPT	Storz adapter 1.5" (38) x 1" NPT female rigid	\$111.00
HSFR15-15NH	Storz adapter 1.5" (38) x 1.5" NH female rigid	\$96.00
HSFR15-15NPSH	Storz adapter 1.5" (38) x 1.5" NPSH female rigid	\$96.00
HSFR15-15NPT	Storz adapter 1.5" (38) x 1.5" NPT female rigid	\$119.00
HSFR15-20NPT	Storz adapter 1.5" (38) x 2" NPT female rigid	\$183.00
HSFR15-25NH	Storz adapter 1.5" (38) x 2.5" NH female rigid	\$159.00
HSFR15-25NPT	Storz adapter 1.5" (38) x 2.5" NPT female rigid	\$181.00
HSFR20-15NH	Storz adapter 2" (52) x 1.5" NH female rigid	\$104.00
HSFR20-15NPSH	Storz adapter 2" (52) x 1.5" NPSH female rigid	\$104.00
HSFR20-15NPT	Storz adapter 2" (52) x 1.5" NPT female rigid	\$127.00
HSFR20-20NPT	Storz adapter 2" (52) x 2" NPT female rigid	\$129.00
HSFR25-15NH	Storz adapter 2.5" (65) x 1.5" NH female rigid	\$114.00
HSFR25-15NPSH	Storz adapter 2.5" (65) x 1.5" NPSH female rigid	\$114.00
HSFR25-15NPT	Storz adapter 2.5" (65) x 1.5" NPT female rigid	\$149.00
HSFR25-20NPT	Storz adapter 2.5" (65) x 2" NPT female rigid	\$163.00
HSFR25-25NH	Storz adapter 2.5" (65) x 2.5" NH female rigid	\$111.00

**NOTE:** Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed

Harrington, Inc. · 2630 West 21st Street · Erie, PA · USA 16506-2908 · 800.553.0078 · 814-838-3957  
www.harrinc.com · info@harrinc.com · www.storzconnect.com







HSFR25-25NPSH	Storz adapter 2.5" (65) x 2.5" NPSH female rigid	\$111.00
HSFR25-25NPT	Storz adapter 2.5" (65) x 2.5" NPT female rigid	\$151.00
HSFR25-25QST	Storz adapter 2.5" (65) x 2.5" QST female rigid	\$111.00
HSFR25-30NH	Storz adapter 2.5" (65) x 3" NH female rigid	\$105.00
HSFR25-30NPSH	Storz adapter 2.5" (65) x 3" NPSH female rigid	\$105.00
HSFR25-30NPT	Storz adapter 2.5" (65) x 3" NPT female rigid	\$163.00
HSFR30-15NH	Storz adapter 3" (75) x 1.5" NH female rigid	\$94.00
HSFR30-15NPSH	Storz adapter 3" (75) x 1.5" NPSH female rigid	\$94.00
HSFR30-20NH	Storz adapter 3" (75) x 2" NH female rigid	\$120.00
HSFR30-20NPSH	Storz adapter 3" (75) x 2" NPSH female rigid	\$120.00
HSFR30-20NPT	Storz adapter 3" (75) x 2" NPT female rigid	\$161.00
HSFR30-25NH	Storz adapter 3" (75) x 2.5" NH female rigid	\$107.00
HSFR30-25NPSH	Storz adapter 3" (75) x 2.5" NPSH female rigid	\$107.00
HSFR30-25NPT	Storz adapter 3" (75) x 2.5" NPT female rigid	\$121.00
HSFR30-25QST	Storz adapter 3" (75) x 2.5" QST female rigid	\$107.00
HSFR30-30NH	Storz adapter 3" (75) x 3" NH female rigid	\$98.00
HSFR30-30NPSH	Storz adapter 3" (75) x 3" NPSH female rigid	\$98.00
HSFR30-30NPT	Storz adapter 3" (75) x 3" NPT female rigid	\$158.00
HSFR40-25NH	Low Profile Storz adapter 4" (100) with lock x 2.5" NH female rigid anodized	\$270.00
HSFR40-25NPT	Low Profile Storz adapter 4" (100) with lock x 2.5" NPT female rigid anodized	\$268.00
HSFR40-25QST	Low Profile Storz adapter 4" (100) with lock x 2.5" QST female rigid anodized	\$270.00
HSFR40-30NH	Low Profile Storz adapter 4" (100) with lock x 3" NH female rigid anodized	\$271.00
HSFR40-30NPSH	Low Profile Storz adapter 4" (100) with lock x 3" NPSH female rigid anodized	\$271.00
HSFR40-30NPT	Low Profile Storz adapter 4" (100) with lock x 3" NPT female rigid anodized	\$284.00
HSFR40-35NH	Storz adapter 4" (100) with lock x 3.5" NH female rigid anodized	\$281.00
HSFR40-35NPSH	Storz adapter 4" (100) with lock x 3.5" NPSH female rigid anodized	\$281.00
HSFR40-40NH	Storz adapter 4" (100) with lock x 4" NH female rigid anodized	\$329.00
HSFR40-40NPSH	Storz adapter 4" (100) with lock x 4" NPSH female rigid anodized	\$329.00
HSFR40-40NPT	Storz adapter 4" (100) with lock x 4" NPT female rigid anodized	\$180.00
HSFR40-40NPT/Cap	Storz adapter 4" (100) with lock x 4" NPT female rigid anodized with 4" Storz Cap/cable	\$326.00
HSFR40-45NH	Storz adapter 4" (100) with lock x 4.5" NH female rigid anodized	\$409.00
HSFR40-45NPSH	Storz adapter 4" (100) with lock x 4.5" NPSH female rigid anodized	\$409.00
HSFR40-50NH	Storz adapter 4" (100) with lock x 5" NH female rigid anodized	\$584.00
HSFR40-50NPT	Storz adapter 4" (100) with lock x 5" NPT female rigid anodized	\$378.00
HSFR40-60NH	Storz adapter 4" (100) with lock x 6" NH female rigid rocker lug	\$466.00
HSFR40-60NPSH	Storz adapter 4" (100) with lock x 6" NPSH female rigid rocker lug	\$466.00
HSFR40-60NPT	Storz adapter 4" (100) with lock x 6" NPT female rigid rocker lug	\$486.00
HSFR40-60NPT/Cap	Storz adapter 4" (100) with lock x 6" NPT female rigid anodized with 4" Storz Cap/cable	\$632.00
HSFR45-40NH (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NH female rigid rocker lug	\$310.00
HSFR45-40NPSH (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPSH female rigid rocker lug	\$310.00
HSFR45-40NPT (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPT female rigid rocker lug	\$333.00
HSFR45-45NH (Storz 110)	Storz adapter 4.5" (110) with lock x 4.5" NH female rigid rocker lug	\$368.00
HSFR45-50NH (Storz 110)	Storz adapter 4.5" (110) with lock x 5" NH female rigid rocker lug	\$323.00
HSFR45-60NH (Storz 110)	Storz adapter 4.5" (110) with lock x 6" NH female rigid rocker lug	\$432.00
HSFR50-25NH	Low Profile Storz adapter 5" (125) with lock x 2.5" NH female rigid anodized	\$336.00
HSFR50-25NH/FTS	Storz adapter 5" (125) with lock full time swivel x 2.5" NH female rigid anodized	\$609.00
HSFR50-25NPSH	Storz adapter 5" (125) with lock full time swivel x 2.5" NPSH female rigid anodized	\$336.00

**NOTE:** Appliances are available with Storz, NH, NPT, or flange connections. Call for pricing if your configuration is not listed  
Harrington, Inc. · 2630 West 21st Street · Erie, PA · USA 16506-2908 · 800.553.0078 · 814-838-3957  
www.harrinc.com · info@harrinc.com · www.storzconnect.com

HSFR50-25NPT	Low Profile Storz adapter 5" (125) with lock x 2.5" NPT female rigid anodized	\$343.00
HSFR50-25QST	Low Profile Storz adapter 5" (125) with lock x 2.5" QST female rigid anodized	\$336.00
HSFR50-30NH	Low Profile Storz adapter 5" (125) with lock x 3" NH female rigid anodized	\$326.00
HSFR50-30NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3" NH female rigid anodized	\$599.00
HSFR50-30NPSH	Storz adapter 5" (125) with lock x 3" NPSH female rigid anodized	\$326.00
HSFR50-30NPT	Low Profile Storz adapter 5" (125) with lock x 3" NPT female rigid anodized	\$344.00
HSFR50-35NH	Storz adapter 5" (125) with lock x 3.5" NH female rigid anodized	\$367.00
HSFR50-35NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3.5" NH female rigid anodized	\$639.00
HSFR50-35NPSH	Storz adapter 5" (125) with lock x 3.5" NPSH female rigid anodized	\$367.00
HSFR50-40NH	Storz adapter 5" (125) with lock x 4" NH female rigid anodized	\$395.00
HSFR50-40NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4" NH female rigid anodized	\$668.00
HSFR50-40NPSH	Storz adapter 5" (125) with lock x 4" NPSH female rigid anodized	\$395.00
HSFR50-40NPT	Storz adapter 5" (125) with lock x 4" NPT female rigid anodized	\$418.00
HSFR50-40NPT/Cap	Storz adapter 5" (125) with lock x 4" NPT female rigid anodized with 5" Storz Cap/cable	\$587.00
HSFR50-40NPT/FTS	Storz adapter 5" (125) with lock full time swivel x 4" NPT female rigid anodized	\$660.00
HSFR50-40NPT/SAS	Storz adapter 5" (125) with lock x 4" NPT/SAS female rigid anodized	\$486.00
HSFR50-45NH	Storz adapter 5" (125) with lock x 4.5" NH female rigid anodized	\$399.00
HSFR50-45NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4.5" NH female rigid anodized	\$672.00
HSFR50-45NPSH	Storz adapter 5" (125) with lock x 4.5" NPSH female rigid anodized	\$399.00
HSFR50-45NPT	Storz adapter 5" (125) with lock x 4.5" NPT female rigid anodized	\$431.00
HSFR50-50NH	Storz adapter 5" (125) with lock x 5" NH female rigid anodized	\$416.00
HSFR50-50NH/FTS	Storz adapter 5" (125) with lock full time swivel x 5" NH female rigid anodized	\$689.00
HSFR50-50NPSH	Storz adapter 5" (125) with lock full time swivel x 5" NPSH female rigid anodized	\$416.00
HSFR50-50NPT	Storz adapter 5" (125) with lock x 5" NPT female rigid anodized	\$437.00
HSFR50-50NPT/Cap	Storz adapter 5" (125) with lock x 5" NPT female rigid anodized with 5" Storz Cap/cable	\$606.00
HSFR50-60NH	Storz adapter 5" (125) with lock x 6" NH female rigid anodized	\$547.00
HSFR50-60NH/FTS	Storz adapter 5" (125) with lock full time swivel x 6" NH female rigid anodized	\$820.00
HSFR50-60NPSH	Storz adapter 5" (125) with lock x 6" NPSH female rigid anodized	\$547.00
HSFR50-60NPT	Storz adapter 5" (125) with lock x 6" NPT female rigid anodized	\$460.00
HSFR50-60NPT/Cap	Storz adapter 5" (125) with lock x 6" NPT female rigid anodized with 5" Storz Cap/cable	\$629.00
HSFR60-40NH	Storz adapter 6" (150) with lock x 4" NH female rigid anodized	\$575.00
HSFR60-40NPSH	Storz adapter 6" (150) with lock x 4" NPSH female rigid anodized	\$575.00
HSFR60-40NPT	Storz adapter 6" (150) with lock x 4" NPT female rigid anodized	\$476.00
HSFR60-45NH	Storz adapter 6" (150) with lock x 4.5" NH female rigid anodized	\$579.00
HSFR60-50NH	Storz adapter 6" (150) with lock x 5" NH female rigid anodized	\$596.00
HSFR60-50NPSH	Storz adapter 6" (150) with lock x 5" NPSH female rigid anodized	\$596.00
HSFR60-50NPT	Storz adapter 6" (150) with lock x 5" NPT female rigid anodized	\$601.00
HSFR60-60NH	Storz adapter 6" (150) with lock x 6" NH female rigid anodized	\$496.00
HSFR60-60NPSH	Storz adapter 6" (150) with lock x 6" NPSH female rigid anodized	\$496.00
HSFR60-60NPT	Storz adapter 6" (150) with lock x 6" NPT female rigid anodized	\$520.00
HSFR60-60NPT/Cap	Storz adapter 6" (150) with lock x 6" NPT female rigid anodized with 6" Storz Cap/cable	\$792.00
HSLA-RED	Storz Lock Assembly Kit for 4", 5" and 6" Storz	\$36.00
HSAS-40	Stainless steel screen for 4" Storz	\$62.00
HSAS-50	Stainless steel screen for 5" Storz	\$68.00
HSAS-60	Stainless steel screen for 6" Storz	\$72.00

**Note: We offer a full range of British Instantaneous Fittings. Please contact us directly for pricing.**

Harrington, Inc. · 2630 West 21st Street · Erie, PA · USA 16506-2908 · 800.553.0078 · 814-838-3957  
www.harrinc.com · info@harrinc.com · www.storzconnect.com



**Low Profile**







## HSMR - Storz x Male Rigid

Storz x Male Adapters	HSMR	List
HSMR15-15NH	Storz adapter 1.5" (38) x 1.5" NH male rigid	\$90.00
HSMR15-15NPSH	Storz adapter 1.5" (38) x 1.5" NPSH male rigid	\$90.00
HSMR15-15NPT	Storz adapter 1.5" (38) x 1.5" NPT male rigid	\$112.00
HSMR15-25NH	Storz adapter 1.5" (38) x 2.5" NH male rigid	\$104.00
HSMR15-25NPT	Storz adapter 1.5" (38) x 2.5" NPT male rigid	\$126.00
HSMR20-15NH	Storz adapter 2" (52) x 1.5" NH male	\$87.00
HSMR20-15NPSH	Storz adapter 2" (52) x 1.5" NPSH male	\$87.00
HSMR20-15NPT	Storz adapter 2" (52) x 1.5" NPT male	\$110.00
HSMR20-20BSP1	Storz adapter 2" (52) x 2" BSP male	\$86.00
HSMR20-25NH	Storz adapter 2" (52) x 2.5" NH male	\$98.00
HSMR25-15NH	Storz adapter 2.5" (65) x 1.5" NH male	\$122.00
HSMR25-25NH	Storz adapter 2.5" (65) x 2.5" NH male	\$100.00
HSMR25-25NPT	Storz adapter 2.5" (65) x 2.5" NPT male	\$123.00
HSMR25-25QST	Storz adapter 2.5" (65) x 2.5" QST male	\$100.00
HSMR25-30NH	Storz adapter 2.5" (65) x 3" NH male	\$161.00
HSMR25-30NPSH	Storz adapter 2.5" (65) x 3" NPSH male	\$161.00
HSMR25-30NPT	Storz adapter 2.5" (65) x 3" NPT male	\$183.00
HSMR30-25NH	Storz adapter 3" (75) x 2.5" NH male	\$94.00
HSMR30-25NPT	Storz adapter 3" (75) x 2.5" NPT male	\$117.00
HSMR30-30NH	Storz adapter 3" (75) x 3" NH male	\$155.00
HSMR30-30NPSH	Storz adapter 3" (75) x 3" NPSH male	\$155.00
HSMR30-30NPT	Storz adapter 3" (75) x 3" NPT male	\$177.00
HSMR40-25BIM	Storz adapter 4" (100) with lock x 2.5" BI male	\$295.00
HSMR40-25NH	Storz adapter 4" (100) with lock x 2.5" NH male	\$266.00
HSMR40-25NPSH	Storz adapter 4" (100) with lock x 2.5" NPSH male	\$266.00
HSMR40-25NPT	Storz adapter 4" (100) with lock x 2.5" NPT male	\$288.00
HSMR40-25QST	Storz adapter 4" (100) with lock x 2.5" QST male	\$266.00
HSMR40-30NH	Storz adapter 4" (100) with lock x 3" NH male	\$272.00
HSMR40-30NPSH	Storz adapter 4" (100) with lock x 3" NPSH male	\$272.00
HSMR40-30NPT	Storz adapter 4" (100) with lock x 3" NPT male	\$294.00
HSMR40-35NH	Storz adapter 4" (100) with lock x 3.5" NH male	\$284.00
HSMR40-40BSP/SL	Storz adapter 4" (100) with lock x 4" BSP/SL male	\$278.00
HSMR40-40NH	Storz adapter 4" (100) with lock x 4" NH male	\$280.00
HSMR40-40NPSH	Storz adapter 4" (100) with lock x 4" NPSH male	\$280.00
HSMR40-40NPT	Storz adapter 4" (100) with lock x 4" NPT male	\$303.00
HSMR40-40NPT/Cap	Storz adapter 4" (100) with lock x 4" NPT male with 4" Storx Cap/cable	\$449.00
HSMS40-40NPT	Storz adapter 4" (100) with lock x 4" NPT male part time swivel	\$553.00
HSMR40-45NH	Storz adapter 4" (100) with lock x 4.5" NH male	\$338.00
HSMR40-50NH	Storz adapter 4" (100) with lock x 5" NH male	\$362.00
HSMR40-50NPSH	Storz adapter 4" (100) with lock x 5" NPSH male	\$362.00
HSMR40-50NPT	Storz adapter 4" (100) with lock x 5" NPT male	\$385.00
HSMR40-60NH	Storz adapter 4" (100) with lock x 6" NH male	\$367.00
HSMR40-60NPT	Storz adapter 4" (100) with lock x 6" NPT male	\$390.00
HSMR40-60NPT/Cap	Storz adapter 4" (100) with lock x 6" NPT male with 4" Storx Cap/cable	\$536.00
HSMR45-25NH (Storz 110)	Storz adapter 4.5" (110) with lock x 2.5" NH male	\$231.00
HSMR45-25NPT (Storz 110)	Storz adapter 4.5" (110) with lock x 2.5" NPT male	\$270.00

# HARRINGTON STORZ X NPT & 150# FLANGE

## NPT



## 150# FLANGE



### Straight Storx x Female

- HSFR40-40NPT/Cap
- HSFR40-60NPT/Cap
- HSFR50-40NPT/Cap
- HSFR50-60NPT/Cap



### Straight Storx x Male

- HSMR40-40NPT /Cap
- HSMR40-60NPT /Cap
- HSMR50-40NPT /Cap
- HSMR50-60NPT /Cap



### 30° Storx x Female

- H30E-40-40NPT/Cap
- H30E-40-60NPT/Cap
- H30E-50-40NPT/Cap
- H30E-50-60NPT/Cap



### 30° Storx x Female Swivel

- H30E-40-40NPSH/Cap
- H30E-40-60NPSH/Cap
- H30E-50-40NPSH/Cap
- H30E-50-60NPSH/Cap

Other sizes available.



### Straight Flange x Male

- STORZ 4", 5" or 6"
- "Class 150" FLANGE 4", 5" or 6"
- Raised Face or Flat Face
- Flange has new improved primer & paint process – red or black



### Straight Storx x Flange

- STORZ 4", 5" or 6"
- "Class 150" FLANGE 4", 5" or 6"
- Raised Face or Flat Face
- Flange has new improved primer & paint process – red or black



### 30° Storx x Flange

- STORZ 4", 5" or 6"
- "Class 150" FLANGE 4", 5" or 6"
- Raised Face or Flat Face
- Flange has new improved primer & paint process – red or black



**Harrington, Inc.**  
Hydrant Storx Specialists

2630 West 21st Street, Erie, PA 16506  
800.553.0078  
info@harrinc.com · hydrantstorz.com





HSMR45-30NH (Storz 110)	Storz adapter 4.5" (110) with lock x 3" NH male	\$253.00
HSMR45-30NPSH (Storz 110)	Storz adapter 4.5" (110) with lock x 3" NPSH male	\$253.00
HSMR45-30NPT (Storz 110)	Storz adapter 4.5" (110) with lock x 3" NPT male	\$276.00
HSMR45-40NPSH (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPSH male	\$261.00
HSMR45-40NPT (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPT male	\$284.00
HSMR45-45NH (Storz 110)	Storz adapter 4.5" (110) with lock x 4.5" NH male	\$320.00
HSMR45-50NH (Storz 110)	Storz adapter 4.5" (110) with lock x 5" NH male	\$338.00
HSMR45-60NH (Storz 110)	Storz adapter 4.5" (110) with lock x 6" NH male	\$348.00
HSMR50-25NH	Storz adapter 5" (125) with lock x 2.5" NH male	\$360.00
HSMR50-25NPSH	Storz adapter 5" (125) with lock x 2.5" NPSH male	\$360.00
HSMR50-25NPT	Storz adapter 5" (125) with lock x 2.5" NPT male	\$365.00
HSMR50-25QST	Storz adapter 5" (125) with lock x 2.5" QST male	\$360.00
HSMR50-30NH	Storz adapter 5" (125) with lock x 3" NH male	\$325.00
HSMR50-30NPSH	Storz adapter 5" (125) with lock x 3" NPSH male	\$325.00
HSMR50-30NPT	Storz adapter 5" (125) with lock x 3" NPT male	\$348.00
HSMR50-35NH	Storz adapter 5" (125) with lock x 3.5" NH male	\$335.00
HSMR50-35NPSH	Storz adapter 5" (125) with lock x 3.5" NPSH male	\$335.00
HSMR50-40BSP/SL	Storz adapter 5" (125) with lock x 4" BSP/SL male	\$334.00
HSMR50-40BSP4	Storz adapter 5" (125) with lock x 4" BSP4 male part time swivel	\$351.00
HSMR50-40NH	Storz adapter 5" (125) with lock x 4" NH male	\$354.00
HSMR50-40NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4" NH male	\$627.00
HSMR50-40NPSH	Storz adapter 5" (125) with lock x 4" NPSH male	\$354.00
HSMR50-40NPT	Storz adapter 5" (125) with lock x 4" NPT male	\$376.00
HSMR50-40NPT/Cap	Storz adapter 5" (125) with lock x 4" NPT male with 5" Storz Cap/cable	\$545.00
HSMR50-45NH	Storz adapter 5" (125) with lock x 4.5" NH male	\$392.00
HSMR50-45NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4.5" NH male	\$665.00
HSMR50-50NH	Storz adapter 5" (125) with lock x 5" NH male	\$376.00
HSMR50-50NPSH	Storz adapter 5" (125) with lock x 5" NPSH male	\$376.00
HSMR50-50NPT	Storz adapter 5" (125) with lock x 5" NPT male	\$416.00
HSMR50-50NPT/Cap	Storz adapter 5" (125) with lock x 5" NPT male with 5" Storz Cap/cable	\$585.00
HSMR50-60NH	Storz adapter 5" (125) with lock x 6" NH male	\$456.00
HSMR50-60NPSH	Storz adapter 5" (125) with lock x 6" NPSH male	\$456.00
HSMR50-60NPT	Storz adapter 5" (125) with lock x 6" NPT male	\$479.00
HSMR50-60NPT/Cap	Storz adapter 5" (125) with lock x 6" NPT male with 5" Storz Cap/cable	\$648.00
HSMR60-40NH	Storz adapter 6" (150) with lock x 4" NH male	\$462.00
HSMR60-40NPT	Storz adapter 6" (150) with lock x 4" NPT male	\$561.00
HSMR60-45NH	Storz adapter 6" (150) with lock x 4.5" NH male	\$573.00
HSMR60-50NH	Storz adapter 6" (150) with lock x 5" NH male	\$496.00
HSMR60-50NPT	Storz adapter 6" (150) with lock x 5" NPT male	\$516.00
HSMR60-60NH	Storz adapter 6" (150) with lock x 6" NH male	\$503.00
HSMR60-60NPT	Storz adapter 6" (150) with lock x 6" NPT male	\$526.00
HSMR60-60NPT/Cap	Storz adapter 6" (150) with lock x 6" NPT male with 6" Storz Cap/cable	\$798.00

**Note: We offer a full range of British Instantaneous Fittings. Please contact us directly for pricing.**

**Flange Storz Adapters**

Harrington Inc, Flange adapters are available in straight and 30 degree elbow NH Male & Female fittings. All adapters are hard coat anodized for corrosion resistance. Carbon steel **150# ANSI** flange is stripped and cleaned of any manufacturing oils or dirt providing agood base for primer adhesion. A Zinc rich primer coat is applied that seals the entire carbon steel flange. A powder coat finish is then applied to the flange - red or black. The primer and top coat include the entire flange and is applied red flange to storz after threads have been cut. These adapters are available with Flat Face or Raised Face Flanges ideal for use in Fixed facilities, pump connections, or other permanent mounting for years of continued service.

**HFL-Flange x Storz Adapters**

150# Flange x Storz Adapters Flat Face	HFL	List
HFL-FF-30-25ST/Cap	3" flat face 150# flange x Storz adapter 2.5" (65) with 2.5" Storz Cap	\$400.00
HFL-FF-30-30ST/Cap	3" flat face 150# flange x Storz adapter 3" (76) with 3" Storz Cap	\$407.00
HFL-FF-40-40ST/Cap	4" flat face 150# flange x Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$552.00
HFL-FF-404030E/Cap	4" flat face 150# flange x Elbow 30° Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$747.00
HFL-FF-40-50ST/Cap	4" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$739.00
HFL-FF-405030E/Cap	4" flat face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$864.00
HFL-FF-50-50ST/Cap	5" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$953.00
HFL-FF-60-50ST/Cap	6" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$950.00
HFL-FF-605030E/Cap	6" flat face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$1,009.00
HFL-FF-60-60ST/Cap	6" flat face 150# flange x Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$922.00
HFL-FF-606030E/Cap	6" flat face 150# flange x Elbow 30° Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$1,237.00

150# Flange x Storz Adapters Raised Face		
HFL-RF-40-40ST/Cap	4" raised face 150# flange x Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$576.00
HFL-RF-404030E/Cap	4" raised face 150# flange x Elbow 30° Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$777.00
HFL-RF-40-50ST/Cap	4" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$732.00
HFL-RF-405030E/Cap	4" raised face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$857.00
HFL-RF-50-50ST/Cap	5" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$953.00
HFL-RF-60-50ST/Cap	6" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$948.00
HFL-RF-605030E/Cap	6" raised face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$1,005.00
HFL-RF-60-60ST/Cap	6" raised face 150# flange x Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$921.00
HFL-RF-606030E/Cap	6" raised face 150# flange x Elbow 30° Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$1,233.00

**Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.**



Flange NH Male Adapters

Harrington Inc, Flange adapters are available in straight and 30 degree elbow NH Male & Female fittings. All adapters are hard coat anodized for corrosion resistance. Carbon steel **150# ANSI** flange is stripped and cleaned of any manufacturing oils or dirt providing a good base for primer adhesion. A Zinc rich primer coat is applied that seals the entire carbon steel flange. A powder coat finish is then applied to the flange - red or black. The primer and top coat include the entire flange and is applied red flange to storz after threads have been cut. These adapters are available with Flat Face or Raised Face Flanges ideal for use in Fixed facilities, pump connections, or other permanent mounting for years of continued service.

Threaded 150# flanges Flat Face	Description	List
HFL-FF-40-45NHM	4" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$434.00
HFL-FF-60-45NHM	6" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$677.00
HFL-FF-60-60NHM	6" flat face 150# carbon steel flange x anodized aluminum 6" NH Male	\$621.00
HFL-FF-40-45NHFS	4" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$600.00
HFL-FF-60-45NHFS	6" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$710.00
HFL-FF-60-60NHFS	6" flat face 150# carbon steel flange x anodized aluminum 6" NH Female swivel rocker lug	\$567.00
Threaded 150# flanges Raised Face		
HFL-RF-40-45NHM	4" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$645.00
HFL-RF-60-45NHM	6" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$864.00
HFL-RF-60-60NHM	6" raised face 150# carbon steel flange x anodized aluminum 6" NH Male	\$619.00
HFL-RF-40-45NHFS	4" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$467.00
HFL-RF-60-45NHFS	6" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$799.00
HFL-RF-60-60NHFS	6" raised face 150# carbon steel flange x anodized aluminum 6" NH Female swivel rocker lug	\$566.00

HSTS - Storz x Storz

Storz-To-Storz Adapters	HSTS	List
HSTS15-10R	Storz x Storz adapter 1.5"(38) x 1" (25) rigid	\$138.00
HSTS20-15R	Storz x Storz adapter 2" (52) x 1.5" (38) rigid	\$135.00
HSTS25-10R	Storz x Storz adapter 2.5" (65) x 1" (25) rigid	\$266.00
HSTS25-15R	Storz x Storz adapter 2.5" (65) x 1.5" (38) rigid	\$161.00
HSTS25-20R	Storz x Storz adapter 2.5" (65) x 2" (52) rigid	\$145.00
HSTS30-20R	Storz x Storz adapter 3" (75) x 2" (52) rigid	\$140.00
HSTS30-25R	Storz x Storz adapter 3" (75) x 2.5" (65) rigid	\$127.00
HSTS40-25R	Storz x Storz adapter 4" (100) x 2.5" (65) rigid	\$299.00
HSTS40-30R	Storz x Storz adapter 4" (100) x 3" (75) rigid	\$294.00
HSTS40-40/SAS	Storz x Storz adapter 4" (100) x 4" (100) with Storz adapter screen	\$518.00
HSTS45-25R (Storz 110)	Storz x Storz adapter 4.5" (110) x 2.5" (65) rigid	\$280.00
HSTS45-30R (Storz 110)	Storz x Storz adapter 4.5" (110) x 3" (75) rigid	\$275.00
HSTS45-40R (Storz 110)	Storz x Storz adapter 4.5" (110) x 4" (100) rigid	\$437.00
HSTS50-25R	Storz x Storz adapter 5" (125) x 2.5" (65) rigid	\$390.00
HSTS50-30R	Storz x Storz adapter 5" (125) x 3" (75) rigid	\$385.00
HSTS50-40R	Storz x Storz adapter 5" (125) x 4" (100) rigid	\$512.00
HSTS50-40/FTS	Storz x Storz adapter 5" (125) x 4" (100) full time swivel	\$785.00
HSTS50-45R (Storz 110)	Storz x Storz adapter 5" (125) x 4.5" (110) rigid	\$493.00
HSTS50-50/SAS	Storz x Storz adapter 5" (125) x 5" (125) rigid with Storz adapter screen	\$696.00
HSTS50-50/FTS	Storz x Storz adapter 5" (125) x 5" (100) full time swivel	\$901.00



HSTS60-25R	Storz x Storz adapter 6" (150) x 2.5" (65) rigid	\$517.00
HSTS60-30R	Storz x Storz adapter 6" (150) x 3" (75) rigid	\$512.00
HSTS60-40R	Storz x Storz adapter 6" (150) x 4" (100) rigid	\$605.00
HSTS60-45R (Storz 110)	Storz x Storz adapter 6" (150) x 4.5" (110) rigid	\$586.00
HSTS60-50R	Storz x Storz adapter 6" (150) x 5" (125) rigid	\$693.00
HSTS60-50/FTS	Storz x Storz adapter 6" (125) x 5" (100) full time swivel	\$966.00
HSTS60-60/SAS	Storz x Storz adapter 6" (150) x 6" (150) rigid with Storz adapter screen	\$827.00
HSTS80-60R	Storz x Storz adapter 8" (203) x 6" (150) rigid	\$3,137.00

HSFR - Storz x Female BSP

Storz x BSP female adapters	HSFR-BSP	List
HSFR10-050BSP1	Storz adapter 1" (25) x 0.5" BSP female rigid	\$41.00
HSFR10-10BSP1	Storz adapter 1" (25) x 1" BSP female	\$31.00
HSFR15-15BSP1	Storz adapter 1.5" (38) x 1.5" BSP female	\$47.00
HSFR15-15BSPB	Storz adapter 1.5" (38) x 1.5" BSP female rigid	\$103.00
HSFR15-20BSP1	Storz adapter 1.5" (38) x 2" BSP1 female rigid	\$92.00
HSFR20-15BSP1	Storz adapter 2" (52) x 1.5" BSP female	\$55.00
HSFR20-20BSP1	Storz adapter 2" (52) x 2" BSP female	\$39.00
HSFR25-15BSP1	Storz adapter 2.5" (65) x 1.5" BSP female rigid	\$96.00
HSFR25-20BSP1	Storz adapter 2.5" (65) x 2" BSP female	\$51.00
HSFR25-25BSP1	Storz adapter 2.5" (65) x 2.5" BSP female	\$50.00
HSFR25-30BSP	Storz adapter 2.5" (65) x 3" BSP female rigid	\$136.00
HSFR30-20BSP1	Storz adapter 3" (75) x 2" BSP female	\$65.00
HSFR30-25BSP	Storz adapter 3" (75) x 2.5" BSP female rigid	\$44.00
HSFR30-25BSP1 = DIN 14 308	Storz adapter 3" (75) x 2.5" BSP1 (DIN 14 308) female rigid	\$44.00
HSFR30-30BSP1	Storz adapter 3" (75) x 3" BSP female	\$50.00
HSFR30-30BSP/SL	Storz adapter 3" (75) x 2.5" BSP1/SL female rigid	\$137.00
HSFR40-25BSP	Low Profile Storz adapter 4" (100) with lock x 2.5" BSP female rigid anodized	\$300.00
HSFR40-40BSP4N	Storz adapter 4" (100) with lock x 4" BSP female Anodized	\$190.00
HSFR40-50BSP/SL	Storz adapter 4" (100) with lock x 5" BSP female Anodized	\$303.00
HSFR40-60BSP/SL	Storz adapter 4" (100) with lock x 6" BSP female Anodized	\$392.00
HSFR45-40BSP/SL	Storz adapter 4.5" (110) with lock x 4" BSP female	\$170.00
HSFR45-50BSP/SL (Storz 110)	Storz adapter 4.5" (110) with lock x 5" BSP/SL female rigid rocker lug	\$313.00
HSFR50-40BSP/SL	Storz adapter 5" (125) with lock x 4" BSP female Anodized (Harrington)	\$321.00
HSFR50-40BSP/FTS	Storz adapter 5" (125) with lock full time swivel x 4" BSP female rigid anodized	\$597.00
HSFR50-50BSP5N	Storz adapter 5" (125) with lock x 5" BSP female Anodized (Harrington)	\$258.00
HSFR50-60BSP/SL	Storz adapter 5" (125) with lock x 6" BSP female Anodized (Harrington)	\$418.00
HSFR60-40BSP/SL	Storz adapter 6" (150) with lock x 4" BSP female (3) lugs Anodized	\$397.00
HSFR60-50BSP/SL	Storz adapter 6" (150) with lock x 5" BSP female (3) lugs Anodized	\$460.00
HSFR60-60BSP6F	Storz adapter 6" (150) with lock x 6" BSP female (3) lugs Anodized	\$297.00
HSFR80-80BSP8-US	Storz adapter 8" (205) with lock x 8" BSP female (3) lugs Anodized	CALL
HSFR100-100BSP-US	Storz adapter 10" (250) with lock x 10" BSP female (3) lugs Anodized	CALL
HSFR120-120BSP-US	Storz adapter 12" (305) with lock x 12" BSP female (3) lugs Anodized	CALL
HFTS50-40BSP/SL	Storz adapter 5" (125) with lock and full time swivel x 4" BSP female Anodized (Harrington)	\$566.00
HFTS50-50BSP/SL	Storz adapter 5" (125) with lock and full time swivel x 5" BSP female Anodized (Harrington)	\$480.00







# Standard Gate Valves

## H800 - 4” Straight Gate Valves

This LDH hydrant gate valve provides low friction loss due to a high flow design. It is excellent for hydrant discharge control, due to providing a slow open/close mechanism. The light weight gate valve has an air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle.

**Dimensions: Extension: 10.5” Width: 6” Height: 14” Weight: 21 lbs**

**Friction loss at 1000 GPM: 0.8 PSI**

4” Gate Valves	H800 Series	List
H800-40-40NH	4” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,641.00
H800-40-40NHLH	4” NH long handle female swivel rocker lug inlet x 4” Storz lock outlet	\$1,641.00
H800-40-40NPSH	4” NPSH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,641.00
H800-40-40NPSHLH	4” NPSH long handle female swivel rocker lug inlet x 4” Storz lock outlet	\$1,641.00
H800-40-40ST	4” Storz lock part time swivel rocker lug inlet x 4” Storz lock outlet	\$1,830.00
H800-40NHFS-40NHFS	4” NH female swivel rocker lug inlet x 4” NH female swivel outlet	\$1,670.00
H800-40NPSHFS-40NPSHFS	4” NPSH female swivel rocker lug inlet x 4” NPSH female swivel outlet	\$1,670.00
H800-40NHFS-40NPTF	4” NPT female rigid inlet x 4” NPSH female swivel outlet	\$1,570.00
H800-40NHM-40NH	4” NH female swivel inlet x 4” NH male outlet	\$1,568.00
H800-40NHM-40NHLH	4” NH female long handle swivel inlet x 4” NH male outlet	\$1,577.00
H800-40NHM-40NPSH	4” NPSH female swivel inlet x 4” NH male outlet	\$1,568.00
H800-40NPTM-40NPSHFS	4” NPSH female swivel inlet x 4” NPT male outlet	\$1,592.00
H800-40-45NH	4.5” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,626.00
H800-40-45NHLH	4.5” NH female long handle swivel inlet x 4” Storz lock outlet	\$1,636.00
H800-40NHM-45NH	4.5” NH female swivel inlet x 4” NH male outlet	\$1,553.00
H800-40NHM-45NHLH	4.5” NH female long handle swivel inlet x 4” NH male outlet	\$1,563.00
H800-40-50NH	5” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,673.00
H800-40-60NH	6” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,747.00
H800-40-60NHLH	6” NH female long handle swivel inlet x 4” Storz lock outlet	\$1,752.00
H800-40-60NPSH	6” NPSH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,747.00
H800-45NHM-45NH	4.5” NH female swivel inlet x 4.5” NH male outlet	\$1,575.00
H800-45NHM-45NHLH	4.5” NH female long handle swivel inlet x 4.5” NH male outlet	\$1,585.00
H800-50-40NH	4” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,800.00
H800-50-40NHLH	4” NH female long handle swivel inlet x 5” Storz lock outlet	\$1,806.00
H800-50-45NH	4.5” NH female swivel inlet x 5” Storz lock outlet	\$1,785.00
H800-50-45NHLH	4.5” NH female long handle swivel inlet x 5” Storz lock outlet	\$1,795.00
H800-50-45NPSH	4.5” NPSH female swivel inlet x 5” Storz lock outlet	\$1,785.00
H800-50-50NH	5” NH female swivel inlet x 5” Storz lock outlet	\$1,832.00
H800-50-50ST	5” Storz lock part time swivel rocker lug inlet x 5” Storz lock outlet	\$1,916.00
H800-50NHM-50NH	5” NH female swivel inlet x 5” NH male outlet	\$1,648.00
H800-50-60NH	4” Gate valve straight 6” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,906.00
H800-50-60NHLH	6” NH female long handle swivel inlet x 5” Storz lock outlet	\$1,911.00
H800-50-60NPSH	6” NPSH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,906.00
H800-50-60NPSHLH	6” NPSH female long handle swivel inlet x 5” Storz lock outlet	\$1,911.00
H800-60-60NH	6” NH female swivel rocker lug inlet x 6” Storz lock outlet	\$1,898.00
H800-60-60NHLH	6” NH female long handle swivel inlet x 6” Storz lock outlet	\$1,903.00
H800-60NHM-60NH	6” NH female swivel inlet x 6” NH male outlet	\$1,750.00
H800-60NHM-60NHLH	6” NH female long handle swivel inlet x 6” NH male outlet	\$1,755.00
H800-60NHM-60NPSH	6” NPSH female swivel inlet x 6” NH male outlet	\$1,750.00
H800-60NHM-60NPSHLH	6” NPSH female long handle swivel inlet x 6” NH male outlet	\$1,755.00



## H810 - 25° Elbow 4” Gate Valves with Field Adjustable Pressure Relief Valve

This LDH hydrant gate valve has the following features: slow open/close, a 25 degree elbow, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, a field adjustable pressure relief valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections.

**Dimensions: Extension: 12.5” Width: 7” Height: 15” Weight: 24 lbs**

**Friction Loss at 1000 GPM: 0.8 PSI.**

4” Gate Valve w/ elbow, PRV	H810 Series	List
H810-40-40NH	4” Storz lock inlet x 4” NH female swivel rocker lug outlet	\$2,258.00
H810-40-40NHLH	4” Storz lock inlet x 4” NH female swivel long handle outlet	\$2,271.00
H810-40-40NPSH	4” Storz lock inlet x 4” NPSH female swivel rocker lug outlet	\$2,258.00
H810-40-40ST	4” Storz lock inlet x 4” Storz lock outlet	\$2,429.00
H810-40NHM-40NH	4” NH Female Rocker Lug x 4” NH Male rocker lug outlet	\$2,281.00
H810-40NHM-40NPSH	4” NH Female Rocker Lug x 4” NPSH Male rocker lug outlet	\$2,281.00
H810-40-45NH	4” Storz lock inlet x 4.5” NH female swivel rocker lug outlet	\$2,251.00
H810-40-45NHLH	4” Storz lock inlet x 4.5” NH female swivel long handle outlet	\$2,266.00
H810-40-50NH	4” Storz lock inlet x 5” NH female swivel rocker lug outlet	\$2,308.00
H810-40-50NHLH	4” Storz lock inlet x 5” NH female swivel long handle outlet	\$2,308.00
H810-40-60NH	4” Storz lock inlet x 6” NH female swivel rocker lug outlet	\$2,385.00
H810-40-60NHLH	4” Storz lock inlet x 6” NH female swivel long handle outlet	\$2,385.00
H810-45NHM-45NH	4.5” NH Female Rocker Lug x 4.5” NH Male rocker lug outlet	\$2,209.00
H810-50-40NH	5” Storz lock inlet x 4” NH female swivel rocker lug outlet	\$2,411.00
H810-50-40NHLH	5” Storz lock inlet x 4” NH female swivel long handle outlet	\$2,426.00
H810-50-40NPSH	5” Storz lock inlet x 4” NPSH female swivel rocker lug outlet	\$2,411.00
H810-50-40NPSHLH	5” Storz lock inlet x 4” NPSH female swivel long handle outlet	\$2,426.00
H810-50-45NH	5” Storz lock inlet x 4.5” NH female swivel rocker lug outlet	\$2,400.00
H810-50-45NHLH	5” Storz lock inlet x 4.5” NH female swivel long handle outlet	\$2,418.00
H810-50-50NH	5” Storz lock inlet x 5” NH female swivel rocker lug outlet	\$2,460.00
H810-50-50NHLH	5” Storz lock inlet x 5” NH female swivel long handle outlet	\$2,460.00
H810-50-50NPSH	5” Storz lock inlet x 5” NPSH female swivel rocker lug outlet	\$2,460.00
H810-50-50NPSHLH	5” Storz lock inlet x 5” NPSH female swivel long handle outlet	\$2,460.00
H810-50-50ST	5” Storz lock inlet x 5” Storz lock outlet	\$2,493.00
H810-50NHM-50NH	5” NH Female Rocker Lug x 5” NH Male rocker lug outlet	\$2,268.00
H810-50NHM-50NHLH	5” NH Female Rocker Lug x 5” NH Male long handle outlet	\$2,268.00
H810-50-60NH	5” Storz lock inlet x 6” NH female swivel rocker lug outlet	\$2,537.00
H810-50-60NHLH	5” Storz lock inlet x 6” NH female swivel long handle outlet	\$2,537.00
H810-50-60NPSH	5” Storz lock inlet x 6” NPSH female swivel rocker lug outlet	\$2,537.00
H810-60-60NH	6” Storz lock inlet x 6” NH female swivel rocker lug outlet	\$2,585.00
H810-60-60NPSH	6” Storz lock inlet x 6” NPSH female swivel rocker lug outlet	\$2,585.00
H810-60NHFS-60NH	6” NH female swivel rocker lug inlet x 6” NH female swivel rocker lug outlet	\$2,517.00
H810-60NHM-60NH	6” NH male inlet x 6” NH female swivel rocker lug outlet	\$2,410.00



**Note: the H800 Series is available with a flange on the intake. Please contact us directly for pricing information.**

### H811 - 25° Elbow 4” Gate Valves

This LDH hydrant gate valve has the following features: slow open/close, a 25 degree elbow, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections.

**Dimensions: Extension: 12.5” Width: 6” Height: 15” Weight: 22 lbs**

**Friction Loss at 1000 GPM: 0.8 PSI.**

4” Gate Valve w elbow	H811 Series	List
H811-40-40NH	4” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,660.00
H811-40-40NHLH	4” NH female swivel long handle inlet x 4” Storz lock outlet	\$1,677.00
H811-40-40NPSH	4” NPSH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,660.00
H811-40-40ST	4” Storz lock inlet x 4” Storz lock outlet	\$1,821.00
H811-40NHM-40NH	4” NH female swivel rocker lug inlet x 4” NH Male outlet	\$1,602.00
H811-40NHM-40NPSH	4” NPSH female swivel rocker lug inlet x 4” NH Male outlet	\$1,602.00
H811-40-45NH	4.5” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,642.00
H811-40-45NHLH	4.5” NH female swivel long handle inlet x 4” Storz lock outlet	\$1,652.00
H811-40-50NH	5” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,714.00
H811-40-50NHLH	5” NH female swivel long handle inlet x 4” Storz lock outlet	\$1,714.00
H811-40-50NPSH	5” NPSH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,714.00
H811-40-60NH	6” NH female swivel rocker lug inlet x 4” Storz lock outlet	\$1,772.00
H811-40-60NHLH	6” NH female swivel long handle inlet x 4” Storz lock outlet	\$1,772.00
H811-45NHM-45NH	4.5” NH female swivel rocker lug inlet x 4.5” NH Male outlet	\$1,615.00
H811-50-40NH	4” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,821.00
H811-50-40NHLH	4” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,838.00
H811-50-45NH	4.5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,790.00
H811-50-45NHLH	4.5” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,800.00
H811-50-50NH	5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,860.00
H811-50-50NHLH	5” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,877.00
H811-50-50NPSH	5” NPSH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,860.00
H811-50-50NPSHLH	5” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,877.00
H811-50-50ST	5” Storz lock inlet x 5” Storz lock outlet	\$1,853.00
H811-50NHM-50NH	5” NH female swivel rocker lug inlet x 5” NH Male outlet	\$1,699.00
H811-50-60NH	6” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,920.00
H811-50-60NHLH	6” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,920.00
H811-50-60NPSH	6” NPSH female swivel rocker lug inlet x 5” Storz lock outlet	\$1,920.00
H811-50-60NPSHLH	6” NH female swivel long handle inlet x 5” Storz lock outlet	\$1,920.00
H811-60NHM-60NH	6” NH female swivel rocker lug inlet x 6” NH Male outlet	\$1,849.00

## Super Flow 6” Gate Valves

This LDH gate valve has our largest water way which provides low friction loss due to a high flow design. The light weight gate valve is available in three configurations, Straight, 30° elbow or elbow with relief valve, all models include a 3/4” air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz, NST or Flange connections.

**Dimensions: Extension: 10”, Width: 8.5”, Height: 16”, Weight: 30 lbs**

**Friction loss at 1000 GPM: 0.1 psi.**

### H860 - Super Flow Straight 6” Gate Valves

6” Gate Valves	H860 Series	List
H860-45NHM-45NH	4.5” NH female swivel rocker lug inlet x 4.5” NH male outlet	\$3,468.00
H860-50-45NH	4.5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$3,685.00
H860-50-45NHLH	4.5” NH female swivel long handle inlet x 5” Storz lock outlet	\$3,685.00
H860-50-50NH	5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$3,465.00
H860-50-60NH	6” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$3,475.00
H860-50-60NHLH	6” NH female swivel long handle inlet x 5” Storz lock outlet	\$3,475.00
H860-50-60NPSH	6” NPSH female swivel rocker lug inlet x 5” Storz lock outlet	\$3,475.00
H860-50-60NPSHLH	6” NPSH female swivel long handle inlet x 5” Storz lock outlet	\$3,475.00
H860-60-60NH	6” NH female swivel rocker lug inlet x 6” Storz lock outlet	\$3,352.00
H860-60-60NPSH	6” NPSH female swivel rocker lug inlet x 6” Storz lock outlet	\$3,352.00
H860-60NHM-60NH	6” NH female swivel rocker lug inlet x 6” NH male outlet	\$3,265.00

### H861 - 25° Elbow 6” Gate Valves

H861 - 25° Elbow 6” Gate Valves	H861 Series	List
H861-45NHM-45NH	4.5” NH female swivel rocker lug inlet x 4.5” NH male outlet	\$4,545.00
H861-45NHM-45NHLH	4.5” NH female swivel long handle inlet x 4.5” NH male outlet	\$4,555.00
H861-50-45NH	4.5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$4,530.00
H861-50-50NH	5” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$4,569.00
H861-50-50NHLH	5” NH female swivel long handle inlet x 5” Storz lock outlet	\$4,569.00
H861-50-60NH	6” NH female swivel rocker lug inlet x 5” Storz lock outlet	\$4,564.00
H861-60-50NH	5” NH female swivel rocker lug inlet x 6” Storz lock outlet	\$4,358.00
H861-60-50NHLH	5” NH female swivel long handle inlet x 6” Storz lock outlet	\$4,358.00
H861-60-60NH	6” NH female swivel rocker lug inlet x 6” Storz lock outlet	\$4,351.00
H861-60-60NPSH	6” NPSH female swivel rocker lug inlet x 6” Storz lock outlet	\$4,351.00
H861-60NHM-60NH	6” NH female swivel rocker lug inlet x 6” NH male outlet	\$4,347.00
H861-60NHM-60NHLH	6” NH female swivel long handle inlet x 6” NH male outlet	\$4,347.00
H861-60NHM-60NPSH	6” NPSH female swivel rocker lug inlet x 6” NH male outlet	\$4,347.00
H861-60NHM-60NPSHLH	6” NPSH female swivel long handle inlet x 6” NH male outlet	\$4,347.00







# Distributor Ball Valves

## H200 - Standard 2-Way Ball Valves (LDH Wye)

Mid-Size 2 way LDH ball valve for feeding two lines with one large line. A light weight valve with powder coating for lasting finish. Hard anodized balls with stainless steel tappets for corrosion resistance. The design permits feed from wither direction. Choose from a variety of sizes of Storz or NST connections.

**Dimensions: Length: 10.5" Width: 9" Height: 10" Weight: 14 lb**

Distributor Ball Valves	H200	List
H200 - Standard 2-Way Ball Valves		
H200-25NHFS-25NHM	2.5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets	\$888.00
H200-40-25NH	4" Storz lock inlet x (2) 2.5" NH male outlets	\$915.00
H200-40-25NHFS	4" Storz lock inlet x (2) 2.5" NH female swivel rocker lug outlets	\$1,087.00
H200-40-25QST	4" Storz lock inlet x (2) 2.5" QST male outlets	\$915.00
H200-40-25QSTFS	4" Storz lock inlet x (2) 2.5" QST female swivel rocker lug outlets	\$1,087.00
H200-40NH-25NH	4" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets	\$974.00
H200-40NHFS-25NHFS	4" NH female swivel rocker lug inlet x (2) 2.5" NH female swivel outlets	\$1,147.00
H200-40NPTF-25NHM	4" NPT female rigid inlet x (2) 2.5" NH male outlets	\$866.00
H200-40NPTF-25NHFS	4" NPT female rigid inlet x (2) 2.5" NH female swivel rocker lug outlets	\$1,038.00
H200-40-25ST	4" Storz lock inlet x (2) 2.5" Storz outlets	\$974.00
H200-40-30ST	4" Storz lock inlet x (2) 3" Storz outlets	\$964.00
H200-45NHFS-25NH	4.5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets	\$954.00
H200-45NHFS-25NHFS	4.5" NH female swivel rocker lug inlet x (2) 2.5" NH female outlets	\$1,127.00
H200-45-25ST (Storz 110)	Storz 110 inlet x (2) 2.5" Storz outlets	\$957.00
H200-45-30ST (Storz 110)	Storz 110 inlet x (2) 3" Storz outlets	\$946.00
H200-50-25NH	5" Storz lock inlet x (2) 2.5" NH male outlets	\$1,060.00
H200-50FTS-25NH	5" Storz lock full time swivel inlet x (2) 2.5" NH male outlets	\$1,487.00
H200-50-25NHFS	(2) 2.5" NH female rocker lug inlets x 5" Storz lock outlet	\$1,232.00
H200-50-25NHFS/FTS	5" Storz lock full time swivel inlet x (2) 2.5" NH female swivel rocker lug outlets	\$1,487.00
H200-50-25QST	5" Storz lock inlet x (2) 2.5" QST male outlets	\$1,060.00
H200-50-25QST/FTS	5" Storz lock full time swivel inlet x (2) 2.5" QST male outlets	\$1,487.00
H200-50-25QSTFS	(2) 2.5" QST female rocker lug inlets x 5" Storz lock outlet	\$1,232.00
H200-50-25QSTFS/FTS	2-way siamese gated (2) 2.5" QST female rocker lug inlets x 5" Storz-Lok outlet FTS	\$1,487.00
H200-50NHFS-25NHM	5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets	\$1,016.00
H200-50NHFS-25NHFS	5" NH female swivel rocker lug inlet x (2) 2.5" NH fe5male outlets	\$1,189.00
H200-50-25ST	5" Storz lock inlet x (2) 2.5" Storz outlets	\$1,119.00
H200-50-30NHM	5" Storz lock inlet x (2) 3" NH male outlets	\$1,250.00
H200-50-30NHFS	5" Storz lock inlet x (2) 3" NH female swivel rocker lug outlets	\$1,399.00
H200-50-30ST	5" Storz lock inlet x (2) 3" Storz outlets	\$1,109.00
H200-60-25NH	6" Storz lock inlet x (2) 2.5" NH male outlets	\$1,117.00
H200-60-25ST	6" Storz lock inlet x (2) 2.5" Storz outlets	\$1,123.00



H200-60-25NHFS	(2) 2.5" NH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,236.00
H200-60-25QST	6" Storz lock inlet x (2) 2.5" QST male outlets	\$1,117.00
H200-60-25QSTFS	(2) 2.5" QST female swivel rocker lug inlets x 6" Storz lock outlet	\$1,236.00
H200-60NHFS-25NH	6" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets	\$1,056.00
H200-60NHFS-25NHFS	6" NH female swivel rocker lug inlet x (2) 2.5" NH female swivel outlets	\$1,229.00

## Long Handle Wye

Long Handle Wye	H200 Long Handle	List
H200-40NHLH-25NH	4" NH female swivel long handle inlet x (2) 2.5" NH male outlets	\$980.00
H200-40NHLH-25NHFS	4" NH female swivel long handle inlet x (2) 2.5" NH female swivel outlets	\$1,152.00
H200-45NHLH-25NH	4.5" NH female swivel long handle inlet x (2) 2.5" NH male outlets	\$969.00
H200-45NHLH-25NHFS	4.5" NH female swivel long handle inlet x (2) 2.5" NH female swivel outlets	\$1,141.00
H200-50NHLH-25NH	5" NH female swivel long handle inlet x (2) 2.5" NH male	\$1,016.00
H200-50NHLH-25NHFS	5" NH female swivel long handle inlet x (2) 2.5" NH female swivel outlets	\$1,189.00
H200-60NHLH-25NH	6" NH female swivel long handle inlet x (2) 2.5" NH male outlets	\$1,056.00
H200-60NHLH-25NHFS	6" NH female swivel long handle inlet x (2) 2.5" NH female swivel outlets	\$1,229.00



## H201 - Small 2-Way Ball Valves (Leader Line Wye)

Our lightest wye which is excellent for forestry and high rise packs.

**Dimensions: Length: 10.5" Width: 9" Height: 8" Weight: 7 lbs**

Small 2-Way Ball Valve	H201 small	List
H201-10NHFS-10NH	1" NH female swivel rocker lug inlet x (2) 1" NH male outlets	\$765.00
H201-10NHFS-10NH/HR	1" NH female swivel rocker lug inlet x (2) 1" NH male outlets with Short Handles.	\$765.00
H201-15NH-GHT	1.5" NH female swivel rocker lug inlet x (2) GHT male outlets	\$761.00
H201-15NHFS-10NH	1.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets	\$776.00
H201-15NHFS-10NH/HR	1.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets with Short Handles.	\$776.00
H201-15NHFS-15NH	1.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets	\$776.00
H201-15NHFS-15NH/HR	1.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets with Short Handles.	\$776.00
H201-15NHFS-15NHFS	1.5" NH female swivel rocker lug inlet x (2) 1.5" NH female swivel outlets	\$768.00
H201-20-20ST	2" Storz inlet x (2) 2" Storz outlets	\$667.00
H201-25NHFS-10NH	2.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets	\$759.00
H201-25NHFS-10NH/HR	2.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets with Short Handles	\$759.00
H201-25NHFS-15NH	2.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets with short handles	\$758.00
H201-25NHFS-15NH/HR	2.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets with short handles	\$758.00
H201-25NHFS-15NPSH	2.5" NH female swivel rocker lug inlet x (2) 1.5" NPSH male outlet with short handles	\$758.00
H201-25QST-15NPSH	2.5" QST female swivel rocker lug inlet x (2) 1.5" NPSH male outlets	\$758.00
H201-25NH-15ST	2.5" QST female swivel rocker lug inlet x (2) 1.5" Storz outlets	\$795.00
H201-25NH-15ST/HR	2.5" QST female swivel rocker lug inlet x (2) 1.5" Storz outlets with short handles	\$795.00
H201-25-15ST	2.5" Storz x (2) 1.5" Storz outlets with short handles	\$748.00
H201-25-25ST	2.5" Storz x (2) 2.5" Storz outlets with short handles	\$686.00





H202 - Mid Size 2-Way Ball Valves (Leader Line Wye)

Standard 2 way ball valve for feeding two lines with one line. A light weight valve with powder coating for lasting finish. Hard anodized balls have stainless steel tappets for corrosion resistance.

Dimensions: Length: 10.5” Width: 9” Height: 8” Weight: 10 lbs

Mid-Size 2-Way Ball Valve	H202	List
H202-25NHFS-15NH	2.5” NH female swivel inlet x (2) 1.5” NH male outlets	\$980.00
H202-25NPSHFS-15NH	2.5” NPSH female swivel inlet x (2) 1.5” NH male outlets	\$980.00
H202-25QSTFS-15NPSH	2.5” QST female swivel inlet x (2) 1.5” NPSH male outlets	\$980.00
H202-25NHFS-25NH	2.5” NH female swivel inlet x (2) 2.5” NH male outlets	\$860.00
H202-25QSTFS-25QST	2.5” QST female swivel inlet x (2) 2.5” QST male outlets	\$860.00
H202-25NHM-25NHFS	2.5” NH male outlet x (2) 2.5” NH female swivel inlets	\$1,110.00
H202-25-25ST	2.5”Storz inlet x (2) 2.5” Storz outlets	\$980.00
H202-30NHFS-15NH	3” NH female swivel inlet x (2) 1.5” NH male outlets	\$1,162.00
H202-30NHFS-25NH	3” NH female swivel inlet x (2) 2.5” NH male outlets	\$938.00
H202-30-30ST	3”Storz inlet x (2) 3” Storz outlets	\$869.00



H300 - 3-Way Ball Valves (LDH Wye)

Mid-size, light weight 3 way LDH ball valve feeds three smaller lines from one LDH line or feed one LDH line from up to three smaller lines. The balls are hard anodized with stainless steel tappets for corrosion resistance. Valve includes a field adjustable pressure relief valve. Specify the size of Storz or NST connections.

Dimensions: Length: 13.5” Width: 13” Height: 11” Weight: 23 lbs

3-Way Ball Valve	H300	List
H300-40-25NH	4” Storz lock inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,858.00
H300-40-25QST	4” Storz lock inlet x (3) 2.5” QST male outlets w/ 250-S RV	\$1,858.00
H300-40-25NHFS	4” Storz lock inlet x (3) 2.5” NH female swivel outlets w/ 250-S RV	\$2,123.00
H300-40-25ST	4” Storz lock inlet x (3) 2.5” Storz outlets w/ 250-S RV	\$1,954.00
H300-40-30ST	4” Storz lock inlet x (3) 3” Storz outlets w/ 250-S RV	\$1,938.00
H300-40NH-25NH	4” NH female Swivel rocker lug inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,834.00
H300-40NHFS-25NHFS	4” NH female Swivel rocker lug inlet x (3) 2.5” NH female swivel outlets w/ 250-S RV	\$2,098.00
H300-40NH-25QST	4” NH female Swivel rocker lug inlet x (3) 2.5” QST male outlets w/ 250-S RV	\$1,834.00
H300-40NHFS-25QSTFS	4” NH female Swivel rocker lug inlet x (3) 2.5” QST female swivel outlets w/ 250-S RV	\$2,098.00
H300-45NH-25NH	4.5” NH female Swivel rocker lug inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,839.00
H300-45NH-25QST	4.5” NH female Swivel rocker lug inlet x (3) 2.5” QST male outlets w/ 250-S RV	\$1,839.00
H300-50-25NH	5” Storz lock inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,796.00
H300-50-25NH/FTS	5” Storz lock full time swivel inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$2,051.00
H300-50-25NHFS	5” Storz lock inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$2,061.00
H300-50-25NHFS/FTS	5” Storz lock full time swivel outlet x (3) 2.5” NH female swivel inlets w/ 250-S RV	\$2,315.00
H300-50-25QST	5” Storz lock swivel inlet x (3) 2.5” QST male outlets w/ 250-S RV	\$1,796.00
H300-50-25QST/FTS	5” Storz lock full time swivel outlet x (3) 2.5” QST male outlets w/ 250-S RV	\$2,051.00
H300-50-25ST	5” Storz lock inlet x (3) 2.5” Storz outlets w/ 250-S RV	\$1,892.00
H300-50-30ST	5” Storz lock inlet x (3) 3” Storz outlets w/ 250-S RV	\$1,876.00
H300-50NH-25NH	5” NH female Swivel rocker lug inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,743.00
H300-50NHFS-25NHFS	5” NH female Swivel rocker lug inlet x (3) 2.5” NH female swivel outlets w/ 250-S RV	\$2,117.00
H300-60-25NH	3-way ball valve 6” Storz lock inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,931.00
H300-60-25NHFS	(3) 2.5” NH female swivel rocker lug inlets x 6” Storz lock outlet w/ 250-S RV	\$2,196.00
H300-60-25ST	6” Storz lock inlet x (3) 2.5” Storz outlets w/ 250-S RV	\$2,144.00
H300-60-30ST	6” Storz lock inlet x (3) 3” Storz outlets w/ 250-S RV	\$2,127.00
H300-60NHFS-25NH	6” NH female Swivel rocker lug inlet x (3) 2.5” NH male outlets w/ 250-S RV	\$1,932.00
H300-60NH-25NHFS	6” NH female Swivel rocker lug inlet x (3) 2.5” NH female swivel outlets w/ 250-S RV	\$2,197.00





H301 - Small 3-Way Ball Valves (Water Thief)

Excellent device for high rise kits. Divides water into three hoses from one. Light weight construction. Hard anodized balls for corrosion resistance.

Dimensions: Length: 12” Width: 12” Height: 10” Weight: 14 lbs

Water Thief	H301 water thief	List
H301-15NHFS-15NH	1.5” NH female swivel rocker lug inlet x (3) 1.5” NH male outlets	\$1,211.00
H301-25NHFS-15NH	2.5” NH female swivel rocker lug inlet x (3) 1.5” NH male outlets	\$1,218.00
H301-25QSTFS-15NPSH	2.5” QST female swivel rocker lug inlet x (3) 1.5” NPSH male outlets	\$1,218.00
H301-25-15ST	2.5” Storz inlet x (3) 1.5” Storz outlets	\$1,382.00
H301-25NHFS-25NH-15NH	2.5” NH female swivel rocker lug inlet x (1) 2.5” NH male outlet (2) 1.5” NH male outlets	\$1,119.00
H301-25-25-15ST	2.5” Storz inlet x (1) 2.5” Storz x (2) 1.5” Storz outlets	\$1,208.00
H301-25NHFS-25NH	2.5” NH female swivel rocker lug inlet x (3) 2.5” NH male outlets	\$1,147.00
H301-25-25ST	2.5” Storz inlet x (3) 2.5” Storz outlets	\$1,138.00
H301-30NHFS-25NH-15NH	3” NH female swivel rocker lug inlet x (1) 2.5” NH male outlet x (2) 1.5” NH male outlets	\$1,278.00
H301-30NHFS-25QST-15NPSH	3” NH female swivel rocker lug inlet x (1) 2.5” QST male outlet x (2) 1.5” NPSH male outlets	\$1,278.00
H301-30NHFS-25NHM	3” NH female swivel rocker lug inlet x (3) 2.5” NH male outlets	\$1,312.00
H301-30-25ST	3” Storz inlet x (3) 2.5” Storz outlets	\$1,133.00

H301 - 3-Way Manifolds

Light weight, 3 way LDH manifold, feeds two smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz or NST connections.

Dimensions: Length: 16” Width: 16” Height: 13” Weight: 40 lbs

3-Way Manifold	H301	List
H301-40-40-25NH	4” Storz lock inlet x (1) 4” Storz lock outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,230.00
H301-40-40-25QST	4” Storz lock inlet x (1) 4” Storz lock outlet x (2) 2.5” QST male outlets w/ 250-S RV	\$3,230.00
H301-40NH-40NH-25NH	4” NH female swivel inlet x (1) 4” NH male outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,156.00
H301-40NH-40NH-25QST	4” NH female swivel inlet x (1) 4” NH male outlet x (2) 2.5” QST male outlets w/ 250-S RV	\$3,156.00
H301-40-40-25NHFS	4” NH female swivel inlet x (1) 4” NH male outlet x (2) 2.5” NH female swivel outlets w/ 250-S RV	\$3,361.00
H301-45NH-40-25NH	4.5” NH female swivel inlet x (1) 4” Storz outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,225.00
H301-45NH-45NH-25NH	4.5” NH female swivel inlet x (1) 4.5” NH male outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,157.00
H301-50-40-25NH	5” Storz lock inlet x (1) 4” Storz lock outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,187.00
H301-50-40-25NHFS	5” Storz lock inlet x (1) 4” Storz lock outlet x (2) 2.5” NH female swivel outlets w/ 250-S RV	\$3,321.00
H301-50-50-25NH	5” Storz lock inlet x (1) 5” Storz lock outlet (2) 2.5” NH male outlets w/ 250-S RV	\$3,332.00
H301-50-50-25NH/FTS	5” Storz lock FTS inlet x (1) 5” Storz lock outlet (2) 2.5” NH male outlets w/ 250-S RV	\$3,532.00



H301-50-50-25QST	5” Storz lock inlet x (1) 5” Storz lock outlet (2) 2.5” QST male outlets w/ 250-S RV	\$3,332.00
H301-50-50-25QST/FTS	5” Storz lock full time swivel inlet x (1) 5” Storz lock outlet (2) 2.5” QST male outlets w/ 250-S RV	\$3,532.00
H301-50-50-25ST	5” Storz lock inlet x (1) 5” Storz lock outlet (2) 2.5” Storz outlets w/ 250-S RV	\$3,401.00
H301-50-50-30ST	5” Storz lock inlet x (1) 5” Storz lock outlet (2) 3” Storz outlets w/ 250-S RV	\$3,389.00
H301-60-60-25NH	6” Storz lock inlet x (1) 6” Storz lock outlet (2) 2.5” NH male outlets w/ 250-S RV	\$3,493.00
H301-60NHFS-60NHM-25NH	6” NH female swivel inlet x (1) 6” NH male outlet x (2) 2.5” NH male outlets w/ 250-S RV	\$3,348.00
H301-60NH-60NHM-25NHFS	6” NH female swivel inlet x (1) 6” NH male outlet x (2) 2.5” NH female outlets w/ 250-S RV	\$3,468.00
HPG-100-H	Harrington 0-300 Glycerine Filled Pressure Gauge	\$78.00
HPM-M	Post mount for the H301 and H400 Manifolds	\$338.00



H400 - 5-Way Manifolds

Light weight, 5 way LDH manifold, feeds four smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz or NST connections.

Dimensions: Length: 17” Width: 24” Height: 13” Weight: 51 lbs

5-Way Manifold	H400	List
H400-40-40-25NH	4” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” NH male outlets w/ 250-S RV	\$4,031.00
H400-40-40-25NHFS	4” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” NH female swivel outlets w/ 250-S RV	\$4,104.00
H400-40-40-25QST	4” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” QST male outlets w/ 250-S RV	\$4,031.00
H400-40-40-25QSTFS	4” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” QST female swivel outlets w/ 250-S RV	\$4,104.00
H400-40NH-40NH-25NH	4” NH female swivel inlet x (1) 4” NH male outlet (4) 2.5” NH male outlets w/ 250-S RV	\$3,593.00
H400-45NH-45NH-25NH	4.5” NH female swivel inlet x (1) 4.5” NH male outlet (4) 2.5” NH male outlets w/ 250-S RV	\$3,603.00
H400-50-40-25NH	5” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” NH male outlets w/ 250-S RV	\$3,481.00
H400-50-40-25NHFS	5” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” NH female swivel outlets w/ 250-S RV	\$3,780.00
H400-50-40-25QST	5” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” QST male outlets w/ 250-S RV	\$3,481.00
H400-50-40-25QSTFS	5” Storz lock inlet x (1) 4” Storz lock outlet (4) 2.5” QST female swivel outlets w/ 250-S RV	\$3,780.00
H400-50-50-25NH	5” Storz lock inlet x (1) 5” Storz lock outlet (4) 2.5” NH male outlets w/ 250-S RV	\$3,626.00



Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



H400-50-50-25NH/FTS	5" Storz lock full time swivel inlet x (1) 5" Storz lock outlet (4) 2.5" NH male outlets w/ 250-S RV	\$3,881.00
H400-50-50-25NHFS	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" NH female swivel outlets w/ 250-S RV	\$3,934.00
H400-50-50-25NPSH	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" NPSH male outlets w/ 250-S RV	\$3,626.00
H400-50-50-25QST	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV	\$3,626.00
H400-50-50-25QST/FTS	5" Storz lock full time swivel inlet x (1) 5" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV	\$3,881.00
H400-50-50-25QSTFS	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" QST female swivel outlets w/ 250-S RV	\$3,934.00
H400-50-50-25ST	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" Storz outlets w/ 250-S RV	\$3,709.00
H400-50-50-30ST	5" Storz lock inlet x (1) 5" Storz lock outlet (4) 3" Storz outlets w/ 250-S RV	\$3,687.00
H400-60-25NHM	6" Storz lock inlet x (5) 2.5" NH male outlets w/ 250-S RV	\$3,651.00
H400-60-25ST	6" Storz lock inlet x (5) 2.5" Storz outlets w/ 250-S RV	\$3,745.00
H400-60-30ST	6" Storz lock inlet x (5) 3" Storz outlets w/ 250-S RV	\$3,718.00
H400-60-60-25NH	6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" NH male outlets w/ 250-S RV	\$3,907.00
H400-60-60-25NPSH	6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" NPSH male outlets w/ 250-S RV	\$3,907.00
H400-60-60-25ST	6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" Storz outlets w/ 250-S RV	\$3,989.00
H400-60-60-30ST	6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 3" Storz outlets w/ 250-S RV	\$3,968.00
HPG-100-H	Harrington 0-300 Glycerine Filled Pressure Gauge	\$78.00
HPM-M	Post mount bracket for the H301 and H400 Manifolds	\$338.00

## H600 - Super Flow 2-Way Ball Valves

Large, light-weight 2 way LDH ball valve. Feed two LDH hoses from a single LDH line or one LDH hose from two LDH hoses. The Super Flow ball valve has low friction loss due to a high flow water way design. Hard anodized balls with stainless steel tappets for corrosion resistance. This design permits feed from wither direction. Includes adjustable pressure relief valve for added safety. Specify the size of Storz or NST connections.

**Dimensions: Length: 18" Width: 16" Height: 12" Weight: 47 Lbs**



Superflow 2-Way Ball Valve	H600	List
H600-40-40ST	4" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$4,271.00
H600-40NHFS-40NHM	4" NH female swivel inlet x (2) 4" NH male outlets w/ 250-S RV	\$3,902.00
H600-45NHFS-40NHM	4.5" NH female swivel inlet x (2) 4" NH male outlets w/ 250-S RV	\$3,907.00
H600-45NHFS-50ST	4.5" NH female swivel inlet x (2) 5" Storz outlets w/ 250-S RV	\$4,089.00
H600-50-40ST	5" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$4,201.00
H600-50-50ST	5" Storz lock inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$3,891.00
H600-50-50ST/FTS	5" Storz lock full time swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$4,293.00
H600-50NHFS-50NHM	5" NH female swivel inlet x (2) 5" NH male outlets w/ 250-S RV	\$3,977.00
H600-60-40ST	6" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$4,344.00
H600-60NHFS-40ST	6" NH female swivel inlet x (2) 4" Storz outlets w/ 250-S RV	\$4,349.00
H600-60NPSHFS-40ST	6" NPSH female swivel inlet x (2) 4" Storz outlets w/ 250-S RV	\$4,349.00
H600-60-50ST	6" Storz lock inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$4,185.00
H600-60NHFS-50ST	6" NH Female Swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$4,187.00
H600-60NPSHFS-50ST	6" NPSH Female Swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$4,187.00
H600-60-60ST	6" Storz lock inlet x (2) 6" Storz lock outlets w/ 250-S RV	\$4,522.00
H600-60NHFS-60NHM	6" NH female swivel inlet x (2) 6" NH male outlets w/ 250-S RV	\$4,079.00

## Siamese Valves

### HJ20 - Jumbo Siamese - Double Clappered

Large two way Clappered Siamese, excellent design for supplying one "LDH" line from two "LDH" lines. Siamese features rubber covered convenient carrying handle. Inlets are individually Clappered. Specify the size of Storz or NST connections

**Dimensions: Length: 18" Width: 14" Height: 9" Weight: 26 lbs**



Jumbo 2-Way Siamese	(clappered)	List
HJ20-40-40ST	(2) 4" Storz lock inlet x 4" Storz lock outlet	\$2,415.00
HJ20-50-40ST	(2) 4" Storz lock inlet x 5" Storz lock outlet	\$2,344.00
HJ20-50-50ST	(2) 5" Storz lock inlet x 5" Storz lock outlet	\$2,502.00
HJ20-60-50ST	(2) 5" Storz lock inlet x 6" Storz lock outlet	\$2,649.00





## H220 - 2-Way Siamese

Light weight, single clappered Siamese for supplying one LDH line from two smaller lines. The aluminum alloy is powder coated for long lasting finish and corrosion resistance. The one clapper design will close off the non pressurized inlet while permitting flow from the pressurized inlet. Choose from a variety of sizes of Storz or NST adapters.

**Dimensions: Length: 10.5" Width: 9.5" Height: 8" Weight: 11 lbs**

2-Way Siamese	H220	List
H220-25NHM-25NHFS	(2) 2.5" NH female swivel rocker lug inlets x 2.5" NH male outlet	\$619.00
H220-40-25NH	(2) 2.5" NH female rocker lug inlets x 4" Storz lock outlet	\$802.00
H220-40-25NHM	(2) 2.5" NH male rocker lug inlets x 4" Storz lock outlet	\$688.00
H220-40SW-25NH	(2) 2.5" NH female rocker lug inlets x 4" Storz lock part time swivel outlet	\$960.00
H220-40-25ST	(2) 2.5" Storz inlets x 4" Storz lock outlet	\$699.00
H220-40NHFS-25NHFS	(2) 2.5" NH female swivel rocker lug inlets x 4" NH female swivel outlet	\$787.00
H220-40NPSHFS-25NHFS	(2) 2.5" NPSH female swivel rocker lug inlets x 4" NH female swivel outlet	\$787.00
H220-40NHFS-25NHM	(2) 2.5" NH male inlets x 4" NH female swivel rocker lug outlet	\$672.00
H220-40-30ST	(2) 3" Storz inlets x 4" Storz lock outlet	\$688.00
H220-45-25ST (Storz 110)	(2) 2.5" Storz inlets (110) x 4.5" Storz lock outlet	\$699.00
H220-45-30ST (Storz 110)	(2) 3" Storz inlets(110) x 4.5" Storz lock outlet	\$688.00
H220-45NHFS-25NHFS	(2) 2.5" NH female rocker lug inlets x 4.5" NH Female Rocker Lug outlet	\$779.00
H220-50-25NH	(2) 2.5" NH female rocker lug inlets x 5" Storz lock outlet	\$873.00
H220-50-25NHM	(2) 2.5" NH male inlets x 5" Storz lock outlet	\$766.00
H220-50-25ST	(2) 2.5" Storz inlets x 5" Storz lock outlet	\$749.00
H220-50-30ST	(2) 3" Storz inlets x 5" Storz lock outlet	\$739.00
H220-50NHFS-25NHFS	(2) 2.5" NH female swivel rocker lug inlets x 5" NH female swivle rocker lug outlet	\$828.00
H220-60-25ST	(2) 2.5" Storz inlets x 6" Storz lock outlet	\$786.00
H220-60NHFS-25NHFS	(2) 2.5" NH female swivel rocker lug inlets x 6" NH female swivel rocker lug outlet	\$913.00
H220-60-30ST	(2) 3" Storz inlets x 6" Storz lock outlet	\$775.00
Non-Clappered		
H220-40SW-25NH/LC	(2) 2.5" NH female inlets x 4" Storz lock part time swivel outlet	\$960.00
H220-40NHFS-25NHM/LC	(2) 2.5" NH male inlets x 4" NH female swivel rocker lug outlet	\$672.00
H220-45NHFS-25NHM/LC	(2) 2.5" NH male inlets x 4.5" NH female swivel rocker lug outlet	\$667.00
H220-50-25NHGV/LC	(2) 2.5" NH male gate valve (HHGV) inlets x 5" Storz lock rigid outlet	\$1,909.00
H220-50-25NHM/LC	(2) 2.5" NH male inlets x 5" Storz lock rigid outlet	\$766.00
H220-50SW-25NH/LC	(2) 2.5" NH female inlets x 5" Storz lock part time swivel outlet	\$859.00

## H330 - 3-Way Siamese

Light weight, 3 way clappered Siamese for supplying one LDH line from up to three smaller lines, each clappered individually. Specify the size of Storz or NST connections.

**Dimensions: Length:15.5" Width: 14" Height: 9" Weight: 9 lbs**

3-Way Siamese	H330	List
H330-40-25NH	(3) 2.5" NH female swivel rocker lug inlets x 4" Storz lock outlet	\$1,533.00
H330-40-25QST	(3) 2.5" QST female swivel rocker lug inlets x 4" Storz lock outlet	\$1,533.00
H330-40-25ST	(3) 2.5" Storz lock x 4" Storz lock outlet	\$1,336.00
H330-40-30ST	(3) 3" Storz lock x 4" Storz lock outlet	\$1,319.00
H330-50-25NH	(3) 2.5" NH female swivel rocker lug inlets x 5" Storz lock outlet	\$1,463.00
H330-50-25QST	(3) 2.5" QST female swivel rocker lug inlets x 5" Storz lock outlet	\$1,463.00
H330-50-25NPSHFS	(3) 2.5" NPSH female swivel rocker lug inlets x 5" Storz lock outlet	\$1,463.00
H330-50-25ST	(3) 2.5" Storz lock x 5" Storz lock outlet	\$1,265.00
H330-50-30ST	(3) 3" Storz lock x 5" Storz lock outlet	\$1,249.00
H330-60-25NH	(3) 2.5" NH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,581.00
H330-60-25NPSHFS	(3) 2.5" NPSH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,581.00
H330-60NHFS-25NHFS	(3) 2.5" NH female swivel rocker lug inlets x 6" NH female swivle outlet	\$1,582.00
H330-60-25ST	(3) 2.5" Storz lock x 6" Storz lock outlet	\$1,384.00
H330-60-30ST	(3) 3" Storz lock x 6" Storz lock outlet	\$1,368.00



## H440 - 4-Way Siamese

Light weight anodized corrosion resistance all metal construction the 4 way Clappered Siamese is used for supplying one LDH line from up to four smaller lines. Each inlet is Clappered individually and can be fed individually or from all four smaller lines. Features stainless steel clapper assemblies "forged" Storz heads, and stainless steel balls in swivel races. Includes a carrying handle. Specify the size of Storz or NST connections.

**Dimensions: Length: 15" Width: 19" Height: 9" Weight: 15 lbs**

4-Way Siamese	H440	List
H440-40-25NH	(4) 2.5" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,883.00
H440-40-25QST	(4) 2.5" QST female swivel rocker lug inlet x 4" Storz lock outlet	\$1,883.00
H440-40-25ST	(4) 2.5" Storz inlet x 4" Storz lock outlet	\$1,620.00
H440-40-30ST	(4) 3" Storz inlet x 4" Storz lock outlet	\$1,599.00
H440-45-25ST	(4) 2.5" Storz inlet x Storz 110 lock outlet	\$1,620.00
H440-45-30ST	(4) 3" Storz inlet x Storz 110 lock outlet	\$1,599.00
H440-50-25NH	(4) 2.5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,812.00
H440-50-25NPSH	(4) 2.5" NPSH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,812.00
H440-50-25QST	(4) 2.5" QST female swivel rocker lug inlet x 5" Storz lock outlet	\$1,812.00
H440-50-25ST	(4) 2.5" Storz inlet x 5" Storz lock outlet	\$1,549.00
H440-50-30ST	(4) 3" Storz inlet x 5" Storz lock outlet	\$1,528.00
H440-60-25NH	(4) 2.5" NH female swivel rocker lug inlet x 6" Storz lock outlet	\$1,947.00
H440-60-25ST	(4) 2.5" Storz inlet x 6" Storz lock outlet	\$1,684.00
H440-60-30ST	(4) 3" Storz inlet x 6" Storz lock outlet	\$1,663.00
H440-60NHFS-25NHFS	(4) 2.5" NH female swivel inlet x 6" NH female swilvel outlet	\$1,948.00



Storz Accessories

HSAS - Storz Adapter Screens



HSAS - Storz Adapter Screens		
Storz Adapter Screens	HSAS	List
HSAS-40	Stainless steel screen for 4” Storz	\$62.00
HSAS-50	Stainless steel screen for 5” Storz	\$68.00
HSAS-60	Stainless steel screen for 6” Storz	\$72.00

HBC - Storz Blind Caps



hard coat anodizing to Military Specification, Type 3.

Storz Blind Caps	HBC	List
HBC-10	Storz blind cap 1” (25) with chain	\$33.00
HBC-15	Storz blind cap 1.5” (38) with chain	\$48.00
HBC-20	Storz blind cap 2” (52) with chain	\$38.00
HBC-25	Storz blind cap 2.5” (65) with chain	\$42.00
HBC-30	Storz blind cap 3” (75) with chain	\$51.00
HBC-40	Storz blind cap 4” (100) with chain Anodized (AWG)	\$146.00
HBC-40-PC	Storz Blind cap 4” (100) with bleeder petcock	\$307.00
HBC-40-US	Storz blind cap 4” (100) with cable clear anodized (short) (USA)	\$198.00
HBC-40D-US	Storz blind cap 4” (100) with cable dark anodized (short) (USA)	\$203.00
HBC-45	Storz blind cap 4.5” (110) with chain	\$153.00
HBC-50	Storz blind cap 5” (125) with chain Anodized (AWG)	\$169.00
HBC-50-PC	Storz Blind cap 5” (125) with bleeder petcock	\$375.00
HBC-50-PC8	Storz Blind cap 5” (125) with bleeder petcock with chain or cable	\$336.00
HBC-50-US	Storz blind cap 5” (125) with cable clear anodized (short) (USA)	\$241.00
HBC-50D-US	Storz blind cap 5” (125) with cable dark anodized (short) (USA)	\$271.00
HBC-60	Storz blind cap 6” (150) (3) lugs with chain Anodized	\$272.00
HBC-60-PC	Storz Blind cap 6” (150) with bleeder petcock	\$384.00
HBC-80-US	Storz blind cap 8” (205) (3) lugs with chain Anodized	CALL
HBC-100-US	Storz blind cap 10” (250) (3) lugs with chain Anodized	CALL
HBC-120-US	Storz blind cap 12” (305) (3) lugs with chain Anodized	CALL

HTPB-US - 3 Lug Storz Couplings.



Domestic 3 Lug Storz couplings machined from a single piece for extruded 6061-T6 aluminum from right here in the U.S.A. Come with two 3-part 2 bolt segment bindings Utilizes recessed nut and bolt design to eliminate stripping of segments. Shanks are hard coat anodized to Military specification Type 3. Segment collars are not anodized, but can be anodized for extra cost. **Working pressures up to 250 psi.**

HTPB-US - 3 Lug Storz Couplings.	HTPB 2-bolt sets	List
HTPB-80SET-2BX-US	Storz hose coupling 8” (205) with lock and 2 bolt, 3-segment binding (set of two)	call
HTPB-100SET-2BX-US	Storz hose coupling 10” (250) with lock and 2 bolt, 3-segment binding (set of two)	call
HTPB-120SET-2BX-US	Storz hose coupling 12” (305) with lock and 2 bolt, 3-segment binding (set of two)	call
Pry Bars	6061-T6 aluminum , 7/8” diameter, 18” Long assist wrench(set of two)	\$115.00



HVC - Harrington “V-Groove” Shank Couplings

“V-Groove” couplings for quick and secure attachment for 8” and 10” hose. Made #6061-T anodized aluminum, “V-Groove” coupling collars are tapered for anti-snag. “V-Groove” design accepts existing Groove couplings. Segments are secured with 2 sets of nuts and bolts to assure there are no stripped segments. Shanks are hard coat anodized to Military specification Type 3. Segment collars are not anodized, but can be anodized for extra cost. Made in the U.S.A. Optional hose sleeve available for easy coupling alignment.

**Working pressure -200 psi**

“V-Groove” Coupling Sets	HVC	List
HVC-80SET-2BX-US	”V-Groove” hose coupling 8” anodized shank with 2-Bolt, 3 part segment binding ( two ends )	call
HVC-100SET-2BX-US	”V-Groove” hose coupling 10” anodized shank with 2-Bolt, 3 part segment binding ( two ends )	call
HVC-120SET-2BX-US	“V-Groove” Hose coupling 12” anodized shank with 2-Bolt, 3 part segment binding(two ends)	call



HVC-80CS	8” anodized connecting sleeve for “V-Groove” couplings	call
HVC-100CS	10” anodized connecting sleeve for “V-Groove” couplings	call
HVC-120CS	12” anodized connecting sleeve for “V-Groove” couplings	call

British Instantaneous Fittings

HBI	Full range of British Instantaneous Fittings	call
-----	--	------



HMLC - MultiLug Coupling with three part binding.

Set includes two hose couplings with three part segment bindings. A key feature is it only requires 1/4” to lock lugs in place. Couplings are cast aluminum then fine machined. East to assemble/disassemble onto LDH hose using an Allen wrench. Utilizes recessed nut and bolt design to eliminate stripping of the segments. A total of 12 lugs with spring loaded locks assures coupling remain attached.

**Working pressures to 240 psi.**

Multilug	Couplings, Adapters & Caps	List
HMLC-100SET	MultiLug hose coupling 10” pressure use hard anodized including segment bindings (set of two)	call
HMLC-120SET	MultiLug hose coupling 12” pressure use hard anodized including segment bindings (set of two)	call



HMLA - MultiLug Adapters and Caps

MultiLug Adapters are easy to assemble and include spring loaded locks for 10” and 12” connections. BSP threads allow for attaching to various coupling options and adapters

Adapters MultiLug x BSP Female

HMLA100-100BSPF	Multilug adapter 10” x 10” BSP female	call
HMLA120-120BSPF	Multilug adapter 12” x 12” BSP female	call
HMLBC-100	Multilug Blind Cap 10”	call
HMLBC-120	Multilug Blind Cap 12”	call



**Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.**



HSSW - Spanner Wrenches

Spanner wrenches for easy disconnecting/connecting of Storz couplings. Wrench has a long handle for added leverage, light weight material. Specify the wrench for size of couplings.

	Spanner Wrenches	HSSW & HHSW	List
1	HHSW-100	4"-5" Universal Hydrant Spanner	\$149.00
2	HSSW-101	2.5"-5" Single end spanner	\$54.00
3	HSSW-15-25	1.5"-2.5" Single end spanner	\$47.00
4	HSSW-20-30	2", 2.5", 3" Single end spanner	\$39.00
5	HSSW-201	(2) HSSW-101 spanners with holder	\$197.00
6	HSMB-100	Standard Spanner Holder	\$89.00
7	HSSW-41-61	4"-6" Single end spanner	\$43.00
8	HSSW-401	(4) HSSW-101 spanners with holder	\$305.00
9	HSMB-100	Mounting bracket for HSSW-201 and HSSW-401	\$89.00
10	HSSW-501	(4) HSSW -41-61 spanners with holder	\$276.00
11	HSMB-41-61	Single end spanner holder	\$104.00
12	HSSW-501-HSW	(4) HSSW-41-61 & 1 HHSW -100 spanners w/ holder	\$534.00
13	HSMB-41-61-HSW	Single end Spanner w/ HSW Spanner holder	\$213.00
14	HSSW-50-60	5"-6" Single end spanner	\$86.00
15	HSW-25NH	2.5" NH spanner	\$72.00
16	HSW-HW	Adjustable hydrant nut spanner	\$119.00
17	HSWS-25-100	(2) 2.5" NH spanners, (1) HHSW-100 spanner with mounting bracket	\$440.00
18	HSMB-25-1	Mounting bracket for HSWS-25-100 spanner set	\$169.00
19	HSWS-25	(2) HSW=25NH spanners w/ holder	\$263.00
20	HSMB-25	Spanner Wrench Bracket	\$141.00
21	HSWS-25-HW	2 HSW-25NH spanners & HSW-HW spanner w/ holder	\$410.00
22	HWS-HW-HD	Adjustable wrench for pentagon nuts up to 1.75"or square nuts up to 1.25"	\$66.00
23	HHW-RAC	Harrington ratchet hydrant wrench fits pentagon nuts or square nuts	\$448.00
24	PRY BARS	Tools for connecting 8",10, and 12" Storz couplings and adapters	\$144.00



Storz Seals and Thread Gaskets

Gaskets	Storz, NH & BPS Gaskets	List
Suction		
HSSS-10	1” Storz (25) suction seal	\$5.00
HSSS-15	1.5” Storz (38) suction seal	\$7.00
HSSS-20	2” Storz (52) suction seal	\$7.00
HSSS-25	2.5” Storz (65) suction seal	\$11.00
HSSS-30	3” Storz (75) suction seal	\$11.00
HSSS-40	4” Storz (100) suction seal	\$26.00
HSSS-45	4.5” Storz (110) suction seal	\$26.00
HSSS-50	5” Storz (125) suction seal	\$29.00
HSSS-60	6” Storz (150) suction seal	\$33.00
Pressure		
HSPS-20	2” Storz (52) pressure seal	\$6.00
HSPS-25	2.5” Storz (65) pressure seal	\$6.00
HSPS-30	3” Storz (75) pressure seal	\$6.00
HSPS-40	4” Storz (100) pressure seal	\$12.00
HSPS-50	5” Storz (125) pressure seal	\$17.00
HSPS-60	6” Storz (150) pressure seal	\$37.00
NH		
HNHG-10	1” NH gasket	\$2.00
HNHG-15	1.5” NH gasket	\$3.00
HNHG-20	2” NH gasket	\$4.00
HNHG-25	2.5” NH gasket	\$4.00
HNHG-30	3” NH gasket	\$4.00
HNHG-35	3.5” NH gasket	\$4.00
HNHG-40	4” NH gasket	\$4.00
HNHG-45	4.5” NH gasket	\$7.00
HNHG-50	5” NH gasket	\$8.00
HNHG-60	6” NH gasket	\$10.00
BSP		
HBSPG-10	1” BSP gasket	\$2.00
HBSPG-15	1.5” BSP gasket	\$3.00
HBSPG-20	2” BSP gasket	\$3.00
HBSPG-25	2.5” BSP gasket	\$3.00
HBSPG-30	3” BSP gasket	\$4.00
HBSPG-40	4” BSP gasket	\$4.00
HBSPG-45	4.5” BSP gasket	\$5.00
HBSPG-50	5” BSP gasket	\$5.00
HBSPG-60	6” BSP gasket	\$6.00

Threaded Adapters

H35 - Female Swivel RL x Female Swivel RL

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.



		NH Female Swivel Rockerlug									
		1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"
NH Female Swivel Rockerlug	1"	H35-10NH-10NH									
		\$62.00									
	1.5"	H35-15NH-10NH	H35-15NH-15NH								
		\$108.00	\$77.00								
	2"		H35-20NH-15NH	H35-20NH-20NH							
			\$107.00	\$107.00							
	2.5"		H35-25NH-15NH	H35-25NH-20NH	H35-25NH-25NH						
			\$120.00	\$118.00	\$102.00						
	3"				H35-30NH-25NH	H35-30NH-30NH					
					\$223.00	\$185.00					
	3.5"				H35-35NH-25NH	H35-35NH-30NH	H35-35NH-35NH				
					\$302.00	\$328.00	\$302.00				
	4"				H35-40NH-25NH	H35-40NH-30NH	H35-40NH-35NH	H35-40NH-40NH			
					\$307.00	\$357.00	\$371.00	\$384.00			
	4.5"				H35-45NH-25NH	H35-45NH-30NH	H35-45NH-35NH	H35-45NH-40NH	H35-45NH-45NH		
					\$391.00	\$408.00	\$397.00	\$383.00	\$344.00		
	5"				H35-50NH-25NH	H35-50NH-30NH	H35-50NH-35NH	H35-50NH-40NH	H35-50NH-45NH	H35-50NH-50NH	
					\$459.00	\$505.00	\$513.00	\$582.00	\$702.00	\$558.00	
	6"				H35-60NH-25NH	H35-60NH-30NH	H35-60NH-35NH	H35-60NH-40NH	H35-60NH-45NH	H35-60NH-50NH	H35-60NH-60NH
					\$794.00	\$741.00	\$722.00	\$712.00	\$722.00	\$650.00	\$586.00
		With NPSH Thread				With Quebec Standard Thread					
		H35-15NH-15NPSH/ PLUG	H35-15NPSH-15NPSH	H35-25NPSH-25NPSH		H35-25QST-15NPSH	H35-25QST-25QST	H35-30NH-25QST	H35-40NH-25QST	H35-50NH-25QST	H35-60NH-25QST
		\$128.00	\$77.00	\$102.00		\$120.00	\$102.00	\$223.00	\$307.00	\$459.00	\$794.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



H36 - Double Male Rocker Lug Adapters



Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.

NH Male Rocker lug													
	GHT	1	1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6	
1	H36-10NH-GHT	H36-10NH-10NH											
	\$47.00	\$52.00											
1.5	H36-15NH-GHT	H36-15NH-10NH	H36-15NH-15NH										
	\$103.00	\$98.00	\$41.00										
2	H36-20NH-GHT	H36-20NH-10NH	H36-20NH-15NH	H36-20NH-20NH									
	\$103.00	\$99.00	\$79.00	\$82.00									
2.5	H36-25NH-GHT	H36-25NH-10NH	H36-25NH-15NH	H36-25NH-20NH	H36-25NH-25NH								
	\$104.00	\$99.00	\$87.00	\$118.00	\$58.00								
2.5 QST						H36-25QST-25QST							
						\$58.00							
3				H36-30NH-20NH	H36-30NH-25NH	H36-30NH-25QST	H36-30NH-30NH						
				\$217.00	\$154.00	\$154.00	\$143.00						
3.5					H36-35NH-25NH	H36-35NH-25QST	H36-35NH-30NH	H36-35NH-35NH					
					\$214.00	\$214.00	\$278.00	\$236.00					
4					H36-40NH-25NH	H36-40NH-25QST	H36-40NH-30NH	H36-40NH-35NH	H36-40NH-40NH				
					\$242.00	\$242.00	\$326.00	\$275.00	\$262.00				
4.5					H36-45NH-25NH	H36-45NH-25QST	H36-45NH-30NH	H36-45NH-35NH	H36-45NH-40NH	H36-45NH-45NH			
					\$268.00	\$268.00	\$320.00	\$305.00	\$360.00	\$286.00			
5					H36-50NH-25NH	H36-50NH-25QST	H36-50NH-30NH	H36-50NH-35NH	H36-50NH-40NH	H36-50NH-45NH	H36-50NH-50NH		
					\$561.00	\$561.00	\$733.00	\$696.00	\$373.00	\$381.00	\$312.00		
6					H36-60NH-25NH	H36-60NH-25QST	H36-60NH-30NH	H36-60NH-35NH	H36-60NH-40NH	H36-60NH-45NH	H36-60NH-50NH	H36-60NH-60NH	
					\$592.00	\$592.00	\$592.00	\$611.00	\$466.00	\$450.00	\$371.00	\$504.00	
With NPSH													
	H36-15NPSH-15NPSH	H36-25QST-15NPSH											
	\$41.00	\$87.00											

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each

H37 - Male x Female Rigid Rocker Lug Adapters

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.

NH Female Rigid													
	GHT	1	1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6	
GHTM	H37-GHTM-GHT	H37-GHTM-10NH	H37-GHTM-15NH	H37-GHTM-20NH	H37-GHTM-25NH								
	\$57.00	\$57.00	\$62.00	\$100.00	\$114.00								
1	H37-10NHM-GHT	H37-10NHM-10NH	H37-10NHM-15NH	H37-10NHM-20NH	H37-10NHM-25NH								
	\$90.00	\$52.00	\$68.00	\$92.00	\$111.00								
1.5	H37-15NHM-GHT	H37-15NHM-10NH	H37-15NHM-15NH	H37-15NHM-20NH	H37-15NHM-25NH		H37-15NHM-30NH	H37-15NHM-35NH					
	\$67.00	\$67.00	\$60.00	\$67.00	\$76.00		\$198.00	\$228.00					
2	H37-20NHM-GHT	H37-20NHM-10NH	H37-20NHM-15NH	H37-20NHM-20NH	H37-20NHM-25NH		H37-20NHM-30NH						
	\$92.00	\$95.00	\$60.00	\$92.00	\$74.00		\$215.00						
2.5	H37-25NHM-GHT	H37-25NHM-10NH	H37-25NHM-15NH	H37-25NHM-20NH	H37-25NHM-25NH		H37-25NHM-30NH	H37-25NHM-35NH	H37-25NHM-40NH	H37-25NHM-45NH	H37-25NHM-50NH	H37-25NHM-60NH	
	\$98.00	\$95.00	\$77.00	\$100.00	\$72.00		\$150.00	\$160.00	\$272.00	\$315.00	\$396.00	\$824.00	
2.5 QSTM							H37-25QSTM-30NH	H37-25QSTM-35NH	H37-25QSTM-40NH	H37-25QSTM-45NH	H37-25QSTM-50NH	H37-	
							\$150.00	\$160.00	\$272.00	\$315.00	\$396.00	\$824.00	
3			H37-30NHM-15NH	H37-30NHM-20NH	H37-30NHM-25NH	H37-30NHM-25QST	H37-30NHM-30NH	H37-30NHM-35NH	H37-30NHM-40NH	H37-30NHM-45NH	H37-30NHM-50NH	H37-30NHM-60NH	
			\$202.00	\$207.00	\$129.00	\$129.00	\$145.00	\$325.00	\$346.00	\$396.00	\$398.00	\$783.00	
3.5					H37-35NHM-25NH	H37-35NHM-25QST	H37-35NHM-30NH	H37-35NHM-35NH	H37-35NHM-40NH	H37-35NHM-45NH	H37-35NHM-50NH	H37-35NHM-60NH	
					\$155.00	\$155.00	\$317.00	\$275.00	\$349.00	\$383.00	\$423.00	\$797.00	
4					H37-40NHM-25NH	H37-40NHM-25QST	H37-40NHM-30NH	H37-40NHM-35NH	H37-40NHM-40NH	H37-40NHM-45NH	H37-40NHM-50NH	H37-40NHM-60NH	
					\$278.00	\$278.00	\$341.00	\$339.00	\$313.00	\$271.00	\$393.00	\$547.00	
4.5					H37-45NHM-25NH	H37-45NHM-25QST	H37-45NHM-30NH	H37-45NHM-35NH	H37-45NHM-40NH	H37-45NHM-45NH	H37-45NHM-50NH	H37-45NHM-60NH	
					\$291.00	\$291.00	\$414.00	\$387.00	\$405.00	\$392.00	\$462.00	\$587.00	
5					H37-50NHM-25NH	H37-50NHM-25QST	H37-50NHM-30NH	H37-50NHM-35NH	H37-50NHM-40NH	H37-50NHM-45NH	H37-50NHM-50NH	H37-50NHM-60NH	
					\$338.00	\$338.00	\$461.00	\$401.00	\$453.00	\$487.00	\$443.00	\$557.00	
6					H37-60NHM-25NH	H37-60NHM-25QST	H37-60NHM-30NH	H37-60NHM-35NH	H37-60NHM-40NH	H37-60NHM-45NH	H37-60NHM-50NH	H37-60NHM-60NH	
					\$485.00	\$485.00	\$495.00	\$550.00	\$595.00	\$602.00	\$673.00	\$746.00	
Haz Mat Reducer													
With NPSH Thread													
	H37-2XGHTM-15NH	H37-4XGHTM-15NH	H37-2XGHTM-25NH		H37-15NPSHM-25NH	H37-15NPSHM-25QST	H37-25QSTM-15NPSH						
	\$112.00	\$156.00	\$163.00		\$76.00	\$76.00	\$77.00						

H53 - Female Swivel RL x Female Rigid



Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.

NH Female Swivel Rocker Lug	NH Female Rigid										
		1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
	1.5	H53-15NH-15NH	H53-15NH-20NH	H53-15NH-25NH							
		\$91.00	\$108.00	\$134.00							
	2	H53-20NH-15NH	H53-20NH-20NH	H53-20NH-25NH							
		\$117.00	\$117.00	\$182.00							
	2.5	H53-25NH-15NH	H53-25NH-20NH	H53-25NH-25NH		H53-25NH-30NH	H53-25NH-35NH	H53-25NH-40NH	H53-25NH-45NH	H53-25NH-50NH	H53-25NH-60NH
		\$156.00	\$187.00	\$199.00		\$265.00	\$320.00	\$291.00	\$410.00	\$714.00	\$846.00
	2.5 QST				H53-25QST-25QST	H53-25QST-30NH	H53-25QST-35NH	H53-25QST-40NH	H53-25QST-45NH	H53-25QST-50NH	H53-25QST-60NH
					\$199.00	\$265.00	\$320.00	\$291.00	\$410.00	\$714.00	\$846.00
	3			H53-30NH-25NH	H53-30NH-25QST	H53-30NH-30NH	H53-30NH-35NH	H53-30NH-40NH	H53-30NH-45NH	H53-30NH-50NH	H53-30NH-60NH
				\$268.00	\$268.00	\$252.00	\$389.00	\$503.00	\$543.00	\$672.00	\$802.00
	3.5			H53-35NH-25NH	H53-35NH-25QST	H53-35NH-30NH	H53-35NH-35NH	H53-35NH-40NH	H53-35NH-45NH	H53-35NH-50NH	H53-35NH-60NH
				\$320.00	\$320.00	\$389.00	\$447.00	\$624.00	\$709.00	\$746.00	\$1,040.00
	4			H53-40NH-25NH	H53-40NH-25QST	H53-40NH-30NH	H53-40NH-35NH	H53-40NH-40NH	H53-40NH-45NH	H53-40NH-50NH	H53-40NH-60NH
				\$326.00	\$326.00	\$445.00	\$630.00	\$545.00	\$643.00	\$857.00	\$868.00
	4.5			H53-45NH-25NH	H53-45NH-25QST	H53-45NH-30NH	H53-45NH-35NH	H53-45NH-40NH	H53-45NH-45NH	H53-45NH-50NH	H53-45NH-60NH
				\$456.00	\$456.00	\$522.00	\$672.00	\$575.00	\$588.00	\$827.00	\$974.00
	5			H53-50NH-25NH	H53-50NH-25QST	H53-50NH-30NH	H53-50NH-35NH	H53-50NH-40NH	H53-50NH-45NH	H53-50NH-50NH	H53-50NH-60NH
				\$682.00	\$682.00	\$578.00	\$682.00	\$738.00	\$824.00	\$921.00	\$906.00
	6			H53-60NH-25NH	H53-60NH-25QST	H53-60NH-30NH	H53-60NH-35NH	H53-60NH-40NH	H53-60NH-45NH	H53-60NH-50NH	H53-60NH-60NH
				\$923.00	\$923.00	\$989.00	\$1,000.00	\$829.00	\$972.00	\$903.00	\$1,002.00
			With NPSH thread								
			H53-15NPSH-15NPSH	H53-25QST-15NPSH							
		\$91.00	\$156.00								

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each

H53L - Female Swivel LH x Female Rigid



Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.

NH Female Swivel Long Handle	NH Female Rigid									
		1.5	2	2.5	3	3.5	4	4.5	5	6
	2.5	H53L-25NH-15NH	H53L-25NH-20NH	H53L-25NH-25NH	H53L-25NH-30NH	H53L-25NH-35NH	H53L-25NH-40NH	H53L-25NH-45NH	H53L-25NH-50NH	H53L-25NH-60NH
		\$167.00	\$194.00	\$205.00	\$268.00	\$339.00	\$298.00	\$435.00	\$776.00	\$863.00
	3			H53L-30NH-25NH	H53L-30NH-30NH	H53L-30NH-35NH	H53L-30NH-40NH	H53L-30NH-45NH	H53L-30NH-50NH	H53L-30NH-60NH
				\$281.00	\$256.00	\$416.00	\$537.00	\$578.00	\$564.00	\$891.00
	3.5			H53L-35NH-25NH	H53L-35NH-30NH	H53L-35NH-35NH	H53L-35NH-40NH	H53L-35NH-45NH	H53L-35NH-50NH	H53L-35NH-60NH
				\$339.00	\$401.00	\$482.00	\$688.00	\$781.00	\$856.00	\$1,158.00
	4			H53L-40NH-25NH	H53L-40NH-30NH	H53L-40NH-35NH	H53L-40NH-40NH	H53L-40NH-45NH	H53L-40NH-50NH	H53L-40NH-60NH
				\$344.00	\$476.00	\$671.00	\$592.00	\$705.00	\$924.00	\$966.00
	4.5			H53L-45NH-25NH	H53L-45NH-30NH	H53L-45NH-35NH	H53L-45NH-40NH	H53L-45NH-45NH	H53L-45NH-50NH	H53L-45NH-60NH
				\$476.00	\$547.00	\$715.00	\$606.00	\$623.00	\$857.00	\$959.00
	5			H53L-50NH-25NH	H53L-50NH-30NH	H53L-50NH-35NH	H53L-50NH-40NH	H53L-50NH-45NH	H53L-50NH-50NH	H53L-50NH-60NH
				\$595.00	\$611.00	\$725.00	\$789.00	\$855.00	\$961.00	\$938.00
	6			H53L-60NH-25NH	H53L-60NH-30NH	H53L-60NH-35NH	H53L-60NH-40NH	H53L-60NH-45NH	H53L-60NH-50NH	H53L-60NH-60NH
				\$943.00	\$1,043.00	\$1,053.00	\$885.00	\$1,025.00	\$924.00	\$1,025.00
		With Qubec Standard Thread								
		H53L-25QST-15NPSH	H53L-25QST-25QST							
		\$167.00	\$205.00							

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each



H54 - Male x Female Swivel Rocker Lug

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.



NH Male	NH Female Swivel Rocker Lug										
		1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
	1.5	H54-15NHM-15NH	H54-15NHM-20NH	H54-15NHM-25NH							
		\$92.00	\$106.00	\$116.00							
	2	H54-20NHM-15NH	H54-20NHM-20NH	H54-20NHM-25NH							
		\$106.00	\$111.00	\$181.00							
	2.5	H54-25NHM-15NH	H54-25NHM-20NH	H54-25NHM-25NH		H54-25NHM-30NH	H54-25NHM-35NH	H54-25NHM-40NH	H54-25NHM-45NH	H54-25NHM-50NH	H54-25NHM-60NH
		\$125.00	\$176.00	\$189.00		\$265.00	\$323.00	\$463.00	\$466.00	\$585.00	\$972.00
	2.5 QSTM					H54-25QSTM-30NH	H54-25QSTM-35NH	H54-25QSTM-40NH	H54-25QSTM-45NH	H54-25QSTM-50NH	H54-25QSTM-60NH
						\$265.00	\$323.00	\$463.00	\$466.00	\$585.00	\$972.00
	3			H54-30NHM-25NH		H54-30NHM-30NH	H54-30NHM-35NH	H54-30NHM-40NH	H54-30NHM-45NH	H54-30NHM-50NH	H54-30NHM-60NH
				\$260.00		\$239.00	\$393.00	\$508.00	\$478.00	\$595.00	\$1,090.00
	3.5			H54-35NHM-25NH	H54-35NHM-25QST	H54-35NHM-30NH	H54-35NHM-35NH	H54-35NHM-40NH	H54-35NHM-45NH	H54-35NHM-50NH	H54-35NHM-60NH
				\$317.00	\$317.00	\$391.00	\$459.00	\$592.00	\$698.00	\$710.00	\$1,053.00
	4			H54-40NHM-25NH	H54-40NHM-25QST	H54-40NHM-30NH	H54-40NHM-35NH	H54-40NHM-40NH	H54-40NHM-45NH	H54-40NHM-50NH	H54-40NHM-60NH
				\$283.00	\$283.00	\$508.00	\$655.00	\$556.00	\$592.00	\$781.00	\$849.00
	4.5			H54-45NHM-25NH	H54-45NHM-25QST	H54-45NHM-30NH	H54-45NHM-35NH	H54-45NHM-40NH	H54-45NHM-45NH	H54-45NHM-50NH	H54-45NHM-60NH
				\$414.00	\$414.00	\$561.00	\$744.00	\$658.00	\$602.00	\$829.00	\$995.00
	5			H54-50NHM-25NH	H54-50NHM-25QST	H54-50NHM-30NH	H54-50NHM-35NH	H54-50NHM-40NH	H54-50NHM-45NH	H54-50NHM-50NH	H54-50NHM-60NH
				\$752.00	\$752.00	\$707.00	\$823.00	\$891.00	\$859.00	\$965.00	\$924.00
	6			H54-60NHM-25NH	H54-60NHM-25QST	H54-60NHM-30NH	H54-60NHM-35NH	H54-60NHM-40NH	H54-60NHM-45NH	H54-60NHM-50NH	H54-60NHM-60NH
				\$912.00	\$912.00	\$862.00	\$1,121.00	\$906.00	\$1,020.00	\$924.00	\$1,032.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each

H54L - Male x Female Swivel Long Handle

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.



NH Male	NH Female Swivel Long Handle								
		2.5	2.5 QST	3	3.5	4	4.5	5	6
	2.5	H54L-25NHM-25NH		H54L-25NHM-30NH	H54L-25NHM-35NH	H54L-25NHM-40NH	H54L-25NHM-45NH	H54L-25NHM-50NH	H54L-25NHM-60NH
		\$222.00		\$291.00	\$354.00	\$409.00	\$475.00	\$728.00	\$995.00
	2.5 QSTM		H54L-25QSTM-25QST						
			\$222.00						
	3	H54L-30NHM-25NH	H54L-30NHM-25QST	H54L-30NHM-30NH	H54L-30NHM-35NH	H54L-30NHM-40NH	H54L-30NHM-45NH	H54L-30NHM-50NH	H54L-30NHM-60NH
		\$289.00	\$289.00	\$268.00	\$427.00	\$720.00	\$564.00	\$625.00	\$1,075.00
	3.5	H54L-35NHM-25NH	H54L-35NHM-25QST	H54L-35NHM-30NH	H54L-35NHM-35NH	H54L-35NHM-40NH	H54L-35NHM-45NH	H54L-35NHM-50NH	H54L-35NHM-60NH
		\$346.00	\$346.00	\$422.00	\$495.00	\$676.00	\$746.00	\$733.00	\$1,075.00
	4	H54L-40NHM-25NH	H54L-40NHM-25QST	H54L-40NHM-30NH	H54L-40NHM-35NH	H54L-40NHM-40NH	H54L-40NHM-45NH	H54L-40NHM-50NH	H54L-40NHM-60NH
		\$346.00	\$346.00	\$545.00	\$689.00	\$595.00	\$620.00	\$796.00	\$894.00
	4.5	H54L-45NHM-25NH	H54L-45NHM-25QST	H54L-45NHM-30NH	H54L-45NHM-35NH	H54L-45NHM-40NH	H54L-45NHM-45NH	H54L-45NHM-50NH	H54L-45NHM-60NH
		\$446.00	\$446.00	\$587.00	\$778.00	\$694.00	\$694.00	\$884.00	\$1,068.00
	5	H54L-50NHM-25NH	H54L-50NHM-25QST	H54L-50NHM-30NH	H54L-50NHM-35NH	H54L-50NHM-40NH	H54L-50NHM-45NH	H54L-50NHM-50NH	H54L-50NHM-60NH
		\$720.00	\$720.00	\$726.00	\$851.00	\$919.00	\$889.00	\$995.00	\$993.00
	6	H54L-60NHM-25NH	H54L-60NHM-25QST	H54L-60NHM-30NH	H54L-60NHM-35NH	H54L-60NHM-40NH	H54L-60NHM-45NH	H54L-60NHM-50NH	H54L-60NHM-60NH
		\$927.00	\$927.00	\$864.00	\$1,145.00	\$908.00	\$1,048.00	\$997.00	\$1,047.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each

H56L - NH Male x Female Rigid Long Handle

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.



NH Male	NH Female Rigid Long Handle							
		2.5	3	3.5	4	4.5	5	6
	2.5	H56L-25NHM-25NH	H56L-25NHM-30NH	H56L-25NHM-35NH	H56L-25NHM-40NH	H56L-25NHM-45NH	H56L-25NHM-50NH	H56L-25NHM-60NH
		\$222.00	\$241.00	\$257.00	\$367.00	\$387.00	\$501.00	\$939.00
	3	H56L-30NHM-25NH	H56L-30NHM-30NH	H56L-30NHM-35NH	H56L-30NHM-40NH	H56L-30NHM-45NH	H56L-30NHM-50NH	H56L-30NHM-60NH
		\$215.00	\$236.00	\$406.00	\$443.00	\$486.00	\$636.00	\$887.00
	3.5	H56L-35NHM-25NH	H56L-35NHM-30NH	H56L-35NHM-35NH	H56L-35NHM-40NH	H56L-35NHM-45NH	H56L-35NHM-50NH	H56L-35NHM-60NH
		\$249.00	\$417.00	\$380.00	\$446.00	\$704.00	\$521.00	\$864.00
	4	H56L-40NHM-25NH	H56L-40NHM-30NH	H56L-40NHM-35NH	H56L-40NHM-40NH	H56L-40NHM-45NH	H56L-40NHM-50NH	H56L-40NHM-60NH
		\$377.00	\$412.00	\$461.00	\$414.00	\$449.00	\$470.00	\$632.00
Female Swivel Long Handle	4.5	H56L-45NHM-25NH	H56L-45NHM-30NH	H56L-45NHM-35NH	H56L-45NHM-40NH	H56L-45NHM-45NH	H56L-45NHM-50NH	H56L-45NHM-60NH
		\$409.00	\$506.00	\$511.00	\$508.00	\$489.00	\$548.00	\$675.00
	5	H56L-50NHM-25NH	H56L-50NHM-30NH	H56L-50NHM-35NH	H56L-50NHM-40NH	H56L-50NHM-45NH	H56L-50NHM-50NH	H56L-50NHM-60NH
		\$605.00	\$556.00	\$503.00	\$550.00	\$592.00	\$675.00	\$771.00
	6	H56L-60NHM-25NH	H56L-60NHM-30NH	H56L-60NHM-35NH	H56L-60NHM-40NH	H56L-60NHM-45NH	H56L-60NHM-50NH	H56L-60NHM-60NH
		\$741.00	\$726.00	\$689.00	\$689.00	\$705.00	\$796.00	\$859.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each

H57L - Female Swivel LH x Female Swivel LH

Threaded adapters available from 1.5” to 12”. All adapters provide the necessary safety features for municipal firefighting. Standard threads are NH and NPSH, special threads and other European adapters are available upon request. All threaded adapters are hard coated to military specification, Type 3 and made from Made in USA aircraft #6061-T lightweight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at “No charge”.



Female Swivel Long Handle	Female Swivel Long Handle								
		2.5	2.5 QST	3	3.5	4	4.5	5	6
	2.5	H57L-25NH-25NH							
		\$176.00							
	2.5 QST		H57L-25QST-25QST						
			\$176.00						
	3	H57L-30NH-25NH		H57L-30NH-30NH					
		\$278.00		\$260.00					
	3.5	H57L-35NH-25NH		H57L-35NH-30NH	H57L-35NH-35NH				
		\$397.00		\$442.00	\$426.00				
Female Swivel Long Handle	4	H57L-40NH-25NH		H57L-40NH-30NH	H57L-40NH-35NH	H57L-40NH-40NH			
		\$425.00		\$508.00	\$556.00	\$453.00			
	4.5	H57L-45NH-25NH		H57L-45NH-30NH	H57L-45NH-35NH	H57L-45NH-40NH	H57L-45NH-45NH		
		\$382.00		\$519.00	\$616.00	\$601.00	\$557.00		
	5	H57L-50NH-25NH		H57L-50NH-30NH	H57L-50NH-35NH	H57L-50NH-40NH	H57L-50NH-45NH	H57L-50NH-50NH	
		\$553.00		\$555.00	\$618.00	\$547.00	\$593.00	\$702.00	
	6	H57L-60NH-25NH		H57L-60NH-30NH	H57L-60NH-35NH	H57L-60NH-40NH	H57L-60NH-45NH	H57L-60NH-50NH	H57L-60NH-60NH
		\$788.00		\$736.00	\$776.00	\$692.00	\$704.00	\$783.00	\$798.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.  
• 1”to 6” = \$15.00 net, each



HTBC - Threaded Blind Caps

HTBC - Threaded Cap	Female Cap	List
HTBC-10NH	1” NH Female	\$105.00
HTBC-15NH	1.5” NH Female	\$83.00
HTBC-15NH-PC	1.5” NH anodized aluminum with brass quarter turn petcock	\$203.00
HTBC-15-xxx	1.5” special thread	\$110.00
HTBC-15NPSH	1.5” NPSH thread	\$83.00
HTBC-20NH	2” NH Female	\$117.00
HTBC-25NH	2.5” NH Female	\$100.00
HTBC-25NHLH	2.5” NH Female Long Handle	\$156.00
HTBC-25NPSH	2.5” NPSH	\$100.00
HTBC-25NH-PC	2.5” NH anodized aluminum with brass quarter turn petcock	\$218.00
HTBC-25QST	2.5” QST	\$100.00
HTBC-25-xxx	2.5” special thread	\$128.00
HTBC-25-xxx-PC	2.5”special thread anodized aluminum with brass quarter turn petcock	\$238.00
HTBC-30NH	3” NH Female	\$243.00
HTBC-30NHLH	3” NH Female Long Handle	\$294.00
HTBC-35NH	3.5” NH Female	\$316.00
HTBC-35NHLH	3.5” NH Female Long Handle	\$382.00
HTBC-40NH	4” NH Female	\$330.00
HTBC-40NHLH	4” NH Female Long Handle	\$403.00
HTBC-45NH	4.5” NH Female	\$349.00
HTBC-45NHLH	4.5” NH Female Long Handle	\$408.00
HTBC-50NH	5” NH Female	\$375.00
HTBC-50NHLH	5” NH Female Long Handle	\$442.00
HTBC-60NH	6” NH Female	\$424.00
HTBC-60NHLH	6” NH Female Long Handle	\$451.00

HTP - Harrington Threaded Plugs

HTP - Threaded Plug	Male Plug	List
HTP-10NH	1” NH Male	\$106.00
HTP-15NH	1.5” NH Male	\$51.00
HTP-15NPSH	1.5” NPSH Male	\$51.00
HTP-15-xxx	1.5” special thread	\$119.00
HTP-20NH	2” NH Male	\$134.00
HTP-25NH	2.5” NH Male	\$88.00
HTP-25QST	2.5” QST Male	\$88.00
HTP-25-xxx	2.5” special thread	\$183.00
HTP-30NH	3” NH Male	\$176.00
HTP-35NH	3.5” NH Male	\$191.00
HTP-40NH	4” NH Male	\$270.00
HTP-45NH	4.5” NH Male	\$334.00
HTP-50NH	5” NH Male	\$311.00
HTP-60NH	6” NH Male	\$430.00
Cable-RKIT	stainless steel cable for caps, reflective, 20” long with crimping connectors	\$10.00

Butterfly Valves

Butterfly Valves	HTBFV & HSBFV	List
Storz		
HSBFV-40-40NHLH	Butterfly Valve 4” Storz x 4” NH female swivel long handle	\$2,556.00
HSBFV-40-40NPSHLH	Butterfly Valve 4” Storz x 4” NPSH female swivel long handle	\$2,556.00
HSBFV-40-45NHLH	Butterfly Valve 4” Storz x 4.5” NH female swivel long handle	\$2,546.00
HSBFV-40-50NHLH	Butterfly Valve 4” Storz x 5” NH female swivel long handle	\$2,541.00
HSBFV-40-60NHLH	Butterfly Valve 4” Storz x 6” NH female swivel long handle	\$2,585.00
HSBFV-50-40NHLH	Butterfly Valve 5” Storz x 4” NH female swivel long handle	\$2,507.00
HSBFV-50-45NHLH	Butterfly Valve 5” Storz x 4.5” NH female swivel long handle	\$2,490.00
HSBFVH-50-45NHLH	Butterfly Valve 5” Storz x 4.5” NH female swivel long handle with Handwheel	\$3,116.00
HSBFV-50-50NHLH	Butterfly Valve 5” Storz x 5” NH female swivel long handle	\$2,484.00
HSBFVH-50-50NHLH	Butterfly Valve 5” Storz x 5” NH female swivel long handle with Handwheel	\$3,110.00
HSBFV-50-60NHLH	Butterfly Valve 5” Storz x 6” NH female swivel long handle	\$2,528.00
HSBFV-50-NF/Cap	To be mounted to a 6” flange in the field x 5” Storz with lock with 5” Storz cap/cable	\$1,784.00
HSBFVH-50-60NHLH	Butterfly Valve 5” Storz x 6”NH Female swivel long handle	\$3,154.00
HSBFV-60-40NHLH	Butterfly Valve 6” Storz x 4” NH female swivel long handle	\$2,503.00
HSBFV-60-45NHLH	Butterfly Valve 6” Storz x 4.5” NH female swivel long handle	\$2,486.00
HSBFV-60-50NHLH	Butterfly Valve 6” Storz x 5” NH female swivel long handle	\$2,481.00
HSBFV-60-60NHLH	Butterfly Valve 6” Storz x 6” NH female swivel long handle	\$2,524.00
NH		
HTBFV-40NHM-40NHLH	Butterfly Valve 4” NH male x 4” NH female swivel long handle	\$2,282.00
HTBFVH-40NHM-40NHLH	Butterfly Valve 4” NH male x 4” NH female swivel long handle with Handwheel	\$2,908.00
HTBFV-40NHM-40NPSHLH	Butterfly Valve 4” NH male x 4” NPSH female swivel long handle	\$2,282.00
HTBFV-40NPSHM-40NPSHLH	Butterfly Valve 4” NPSH male x 4” NPSH female swivel long handle	\$2,282.00
HTBFVH-40NPSHM-40NPSHLH	Butterfly Valve 4” NPSH male x 4” NPSH female swivel long handle with Handwheel	\$2,908.00
HTBFV-40NHM-45NHLH	Butterfly Valve 4” NH male x 4.5” NH female swivel long handle	\$2,265.00
HTBFV-40NHM-50NHLH	Butterfly Valve 4” NH male x 5” NH female swivel long handle	\$2,259.00
HTBFV-40NHM-60NHLH	Butterfly Valve 4” NH male x 6” NH female swivel long handle	\$2,303.00
HTBFV-45NHM-40NHLH	Butterfly Valve 4.5” NH male x 4” NH female swivel long handle	\$2,282.00
HTBFV-45NHM-45NHLH	Butterfly Valve 4.5” NH male x 4.5” NH female swivel long handle	\$2,265.00
HTBFV-45NHM-50NHLH	Butterfly Valve 4.5” NH male x 5” NH female swivel long handle	\$2,259.00
HTBFV-45NHM-60NHLH	Butterfly Valve 4.5” NH male x 6” NH female swivel long handle	\$2,303.00
HTBFV-50NHM-40NHLH	Butterfly Valve 5” NH male x 4” NH female swivel long handle	\$2,282.00
HTBFV-50NHM-45NHLH	Butterfly Valve 5” NH male x 4.5” NH female swivel long handle	\$2,265.00
HTBFV-50NHM-50NHLH	Butterfly Valve 5” NH male x 5” NH female swivel long handle	\$2,259.00
HTBFV-50NHM-50NPSHLH	Butterfly Valve 5” NH male x 5” NPSH female swivel long handle	\$2,259.00
HTBFV-50NHM-60NHLH	Butterfly Valve 5” NH male x 6” NH female swivel long handle	\$2,303.00
HTBFV-60NHM-60NHLH	Butterfly Valve 6” NH male x 6” NH female swivel long handle	\$2,303.00
HTBFVH-60NHM-60-NHLH	Butterfly Valve 6” NH male x 6” NH female swivel long handle with handwheel	\$2,929.00
HABS	0.75” screw down bleeder valve NPT	\$114.00





# Harrington

## STORZ CONNECT



### Fire Hydrant Conversion

#### HPHA™ *THREAD-ON* STORZ SPECIFICATION

The Storz Adapter is threaded onto the male hydrant nozzle and permanently secured with 2 SETSCREWS. The Storz cap is secured to the adapter with STAINLESS STEEL REFLECTIVE AIRCRAFT CABLE for night visibility. FOR SECURITY, the cap is resistant to removal by unauthorized personnel. Cap removal requires a Storz wrench. This is a Harrington feature called "HIGH TORQUE CAP REMOVAL".

Harrington maintains the integrity of fire hydrant adaptation from decades of experience.  
Improving America's Emergency Response Connections.  
American Innovation. American Made.

#### HPHA40-45NH/Cap - 4" Storz x 4.5" NH Female

##### HARRINGTON STORZ SPECIFICATION SHEET

#### HPHA40-45NH/Cap

Forged 6061-T6 Aluminum

- 4" Storz x 4½" NH Female

Adapter with Metal Face Seal

- (2) Stainless Steel Setscrews
- Laser etched

- 4" Storz Cap with Stainless Steel Reflective Aircraft Cable

- Hard Anodized to Mil-A-8625f, Type 3, Dark Gray
- 250 psi working pressure

- MADE IN USA

Specify HARRINGTON STORZ: HPHA40-45NH/Cap



**Harrington**  
STORZ CONNECT

2630 West 21st Street  
Erie, PA 16506


ph. 800-553-0078  
info@harrinc.com



#### HPHA40-45NH/Cap

4" Storz Hydrant Adapter: 4 x 4½" NH Female  
w/(2) setscrews, Storz Cap and SS Cable

Date: 01/01/23	Weight: 5 lbs.	Specification / Data Sheet
Net to scale	NFPA 1963 COMPLIANT	HPHA



# Harrington

## STORZ CONNECT



### Fire Hydrant Conversion

#### HPHA™ *THREAD-ON* STORZ SPECIFICATION

The Storz Adapter is threaded onto the male hydrant nozzle and permanently secured with 2 SETSCREWS. The Storz cap is secured to the adapter with STAINLESS STEEL REFLECTIVE AIRCRAFT CABLE for night visibility. FOR SECURITY, the cap is resistant to removal by unauthorized personnel. Cap removal requires a Storz wrench. This is a Harrington feature called "HIGH TORQUE CAP REMOVAL".

Harrington maintains the integrity of fire hydrant adaptation from decades of experience.  
Improving America's Emergency Response Connections.  
American Innovation. American Made.

#### HPHA50-45NH/Cap - 5" Storz x 4.5" NH Female

##### HARRINGTON STORZ SPECIFICATION SHEET

#### HPHA50-45NH/Cap

Forged 6061-T6 Aluminum

- 5" Storz x 4½" NH Female

Adapter with Metal Face Seal

- (2) Stainless Steel Setscrews
- Laser etched

- 5" Storz Cap with Stainless Steel Reflective Aircraft Cable

- Hard Anodized to Mil-A-8625f, Type 3, Dark Gray
- 250 psi working pressure

- MADE IN USA

Specify HARRINGTON STORZ: HPHA50-45NH/Cap



**Harrington**  
STORZ CONNECT

2630 West 21st Street  
Erie, PA 16506


ph. 800-553-0078  
info@harrinc.com



#### HPHA50-45NH/Cap

5" Storz Hydrant Adapter: 5 x 4½" NH Female  
w/(2) setscrews, Storz Cap and SS Cable

Date: 01/01/23	Weight: 7 lbs.	Specification / Data Sheet
Not to scale	NFPA 1963 COMPLIANT	HPHA





# HARRINGTON STORZ SPECIFICATION SHEET

## H30E-40-40NPT/Cap

All Aluminum

- 30° ELBOW, 4" NPT FEMALE
- 4" STORZ with Storz-Lok
- 4" STORZ CAP attached with SS Aircraft Cable

- Hard Anodized 6061-T6 Aluminum Storz
- Hard Anodized & Powder Coated 356 Aluminum Elbow
- 250 psi working pressure

Specify HARRINGTON STORZ: H30E-40-40NPT/Cap




2630 West 21st Street  
Erie, PA 16506

ph. 800-553-0078  
info@harrinc.com



H30E-40-40NPT/Cap			
Elbow 30°, 4" NPT Female x 4" Storz with Storz Cap attached with stainless steel aircraft cable			
Date: 01/01/23	Weight: 7 lbs.	Specification / Data Sheet	
Not to scale	NFPA 1963 COMPLIANT	30° NPT	



# HARRINGTON STORZ SPECIFICATION SHEET

## H30E-50-40NPT/Cap

All Aluminum

- 30° ELBOW, 4" NPT FEMALE
- 5" STORZ with Storz-Lok
- 5" STORZ CAP attached with SS Aircraft Cable

- Hard Anodized 6061-T6 Aluminum Storz
- Hard Anodized & Powder Coated 356 Aluminum Elbow
- 250 psi working pressure

Specify HARRINGTON STORZ: H30E-50-40NPT/Cap




2630 West 21st Street  
Erie, PA 16506

ph. 800-553-0078  
info@harrinc.com



H30E-50-40NPT/Cap			
Elbow 30°, 4" NPT Female x 5" Storz with Storz Cap attached with stainless steel aircraft cable			
Date: 01/01/23	Weight: 9 lbs.	Specification / Data Sheet	
Not to scale	NFPA 1963 COMPLIANT	30° NPT	



## ~ Terms and Conditions ~

**Terms:** Net 30 days, unless otherwise agreed upon, prior to order entry or shipment. F.O.B. Erie, PA unless otherwise agreed upon prior to order entry or shipment.

**Ordering:** All orders, as well as change orders, must be written form. Item part numbers and description must agree. Please call for any special, non-standard configurations.

**Order Confirmations:** Confirmations will be faxed or mailed daily. All discrepancies between purchase order and confirmations should be discussed immediately.

**Pricing:** Prices are subject to change at any time, without notice. Please call to insure that you have the current price sheet. Special quotes will be valid for 30 days, longer if discussed before hand. All custom configurations should be discussed before quoting end user.

**Standard Threads:** We consider NH & NPSH to be standard threads.

NH/NST-National Hose thread and National Standard thread are the same

NPSH- National Pipe Straight Hose thread and Iron Pipe thread are the same.

**Special threads:** Allow 4-5 weeks for special threads.

NPT/IPT- National Pipe and Iron Pipe threads are the same

XXX – Custom threads 1" – 6" + \$15.00 net

**Returns:** All return shipments must have a RGA (Return Goods Authorization number) prior to the return of any product, for any reason. A 25% restocking charge may be assessed, depending on the nature of the return. All product must be new and in resalable condition. Care must be made in the return packaging so no damage is incurred during the return shipment. Harrington reserves the right not to process the return if it is determined that these conditions have not been made, and return the product(s) at the customers expense.

**Note:** Please mark the RGA# plainly on the package and enclosed paper work.

**Repairs:** Repair capabilities will be based on the nature of the situation that arises. Please call for an RGA# before shipping any items to Harrington Inc. for repair. In the case of valves too old for repair, \$40.00 labor fee may be charged for time spent on the item.





# Harrington, Inc.

## HYDRANT STORZ SPECIALISTS

2630 West 21st Street Erie, PA 16506  
phone: 800-553-0078 fax: 814-838-7339  
www.hydrantstorz.com / www.harrinc.com



## Fight the Fire, Not the Connections™

Protect your community with Harrington Hydrant Storz connections. Save time, lives and property by making your hydrants ready for the call.



1/4 Turn, Cap Off...



1/4 Turn, Hose On




### HIHS™ BUILT-IN: Harrington Integral Hydrant Storz™

For new hydrants, this nozzle is built into the hydrant in place of the threaded nozzle. The HIHS is a patented product created by Harrington, Inc. to enable hydrant manufacturers to equip their hydrants with Storz, while maintaining the HPHA standards that were developed decades ago. Storz wrench required to remove the cap.

HIHS™ requires the removal of the threaded pumper nozzle for installation.



HIHS™  
WITH CAP



High-torque cap removal prevents unauthorized entry.


### HPHA™ THREAD-ON: Harrington Permanent Hydrant Adapter™

For retro fitting existing hydrant threads, this adapter is threaded onto the steamer nozzle and secured permanently with two setscrews. The cap will not come off at the hands of vandals. Wrench required.

HPHA™ requires only the removal of the threaded cap for installation.



HPHA™  
WITH CAP



**SPECIFY HARRINGTON HYDRANT STORZ.  
MAKE THE RIGHT CONNECTION!**